

Tyres | Renkaat | Däck



**TYRES
MC/MX 2020**

DUELL



METZELER was originally founded in Germany in 1863.
 The company expanded into aviation in 1890 and automotive and motorcycle tyres in 1892.
 Since 1979, **METZELER** has specialized in motorcycle tyres only, and this has enabled
 the company to become a benchmark for technological development in this area,
 with particular focus on performance and reliability.

With more than 150 years of experience in the rubber industry and 125 years on the front
 line of innovation for motorcycle tyres, **METZELER** has marked a number of technological
 milestones in its long history. From the first transversal tread patterns to the use of Kevlar,
 Steel and Aramid to reinforce and enhance stability, **METZELER** has continually evolved
 to meet the latest demands of motorcycling and to widen the versatility of its range.

In 1986, **METZELER** further consolidated its position in the industry when it was acquired
 by Pirelli, one of the most prestigious tyre brands in the world. Today, motorcycle
 connoisseurs all over the world recognize **METZELER'S** leadership in the design
 and manufacture of high quality motorcycle tyres.



Kategorie:
Reifen

MOTORRAD-Readers selected **METZELER** as the top brand
 for the ninth time in the tyre category!
 The vote of the **MOTORRAD** magazine im 2019 was very clear:
 Unbelievable 67,8 percent of all voters selected metzeler to be
 the best brand amongst all tyre manufacturers.



2019 THE GREAT VICTORY AT THE ISLE OF MAN SENIOR TT

RIDER: DEAN HARRISON
 BIKE / TEAM: KAWASAKI / SILICONE ENGINEERING
 AVERAGE SPEED: 130.824 mph/210.54 kph
 RACE TIME: 01:43:49.521 h

A closer look at METZELER Motorcycle Technology

Bias tyre

Also indicated as conventional or x-ply tyre. The structure of this tyre is made of a carcass where, depending on the different speed and load specifications, two or more layers are overlapped. Each layer is made of textile cords coated into rubber and the overlap angle is designed in order to confer the tyre the required dynamic characteristics.

BIAS TYRE



Bias-belted tyre

The structure of those tyres is realized with a conventional carcass and a belt made of two or more crossed layers. The difference between carcass and belt is given by the different goals that they have to fulfil and consequently the different materials that are used: the belt is made mainly from Aramide and its function is reduce the dynamic deformation caused by centrifugal forces, while the carcass has to mainly give the tyre its stiffness and load carrying capacity.

BIAS - BELTED TYRE



Belted tyre with radial carcass

The main difference of the bias-belted tyre is given by the structure of the carcass that in this case is radial. This means that its cords are wrapped radially around the tyre, from one bead to the other. In this way low-section tyres can be realized, giving big advantages in terms of cornering stability, reduced weight and high-speed performance.

Its extremely high rigidity and the possibility to tune the winding spacing giving a differentiated stiffness distribution from shoulder to crown.

BELTED TYRE WITH RADIAL CARCASS (90 DEGREES)



O° steel belt tyre with radial carcass

Patented technology by METZELER realizing the structure of both front and rear tyre using a radial carcass and a single layer belt made of steel. Considering the rolling direction of the tyre, the belt is wound circumferentially around the carcass giving an angle close to 0°. The advantages coming from the use of steel are its extremely high rigidity and the possibility to tune the winding spacing giving a differentiated stiffness distribution from shoulder to crown.

O°- STEEL BELTED TYRE WITH RADIAL CARCASS (90 DEGREES)





SporTec™ M9 RR



Ride the Unexpected

- Outstanding handling, for a great riding pleasure
- Quick warm-up, impressive wet response thanks to 100% silica compounds
- Plenty of grip since the first corner to hit your toughest challenges
- Cap&base dual compound layout delivers best performance throughout the entire tyre lifespan

SPORT SporTec™ M9 RR

New!

Front	Size	Code	Euro	Sek/Nok
17"	110/70 R 17 M/C 54H TL	34-3627200	141,00	1596,00
	110/70 ZR 17 M/C 54W TL	34-3626600	155,00	1748,00
	120/70 ZR 17 M/C (58W) TL	34-3616900	169,00	1916,00

Rear	Size	Code	Euro	Sek/Nok
17"	140/70 R 17 M/C 66H TL	34-3627300	194,00	2195,00
	150/60 R 17 M/C 66H TL	34-3627400	177,00	2000,00
	150/60 ZR 17 M/C 66W TL	34-3626700	194,00	2189,00
	160/60 ZR 17 M/C (69W) TL	34-3617000	211,00	2384,00
	180/55 ZR 17 M/C (73W) TL	34-3617100	223,00	2525,00
	180/60 ZR 17 M/C (75W) TL	34-3626800	231,00	2609,00
	190/50 ZR 17 M/C (73W) TL	34-3617200	233,00	2636,00
	190/55 ZR 17 M/C (75W) TL	34-3617300	242,00	2741,00
	200/55 ZR 17 M/C (78W) TL	34-3617400	246,00	2777,00

SporTec™ M7 RR



Wet roads, dry roads. Just ride it. Engineered to empower true riders

- Dedicated to all riders with a sporty riding style, looking for grip in any road condition, weather and temperature
- The first supersport tyre introducing a new paradigm of contact feeling on wet
- Dual-compound rear, combined with INTERACT™ technology
- Profiles and Structures derived from METZELER expertise in Road Races

SPORT SporTec™ M7 RR

Front	Size	Code	Euro	Sek/Nok
16"	130/70 ZR 16 M/C (61W) TL	34-3865600	174,00	1969,00
17"	110/70 ZR 17 M/C 54W TL	34-24498	141,00	1638,00
	120/60 ZR 17 M/C (55W) TL	34-24499	142,00	1659,00
	120/70 ZR 17 M/C (58W) TL	34-25208	150,00	1748,00

Rear	Size	Code	Euro	Sek/Nok
17"	150/60 ZR 17 M/C 66W TL	34-24501	176,00	2053,00
	160/60 ZR 17 M/C (69W) TL	34-24502	191,00	2242,00
	180/55 ZR 17 M/C (73W) TL	34-24503	202,00	2315,00
	190/50 ZR 17 M/C (73W) TL	34-24504	212,00	2462,00
	190/55 ZR 17 M/C (75W) TL	34-24505	219,00	2504,00
	200/55 ZR 17 M/C (78W) TL	34-24507	223,00	2594,00



A great all-round Supersport tyre

SPORT SporTec™ M5 INTERACT™

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 M/C (58W) TL	34-19274	120,00	1391,00
Rear	Size	Code	Euro	Sek/Nok
17"	160/60 ZR 17 M/C (69W) TL	34-19713	150,00	1748,00
	170/60 ZR 17 M/C (72W) TL	34-20283	161,00	1885,00
	180/55 ZR 17 M/C (73W) TL	34-19276	158,00	1848,00
	190/55 ZR 17 M/C (75W) TL	34-19275	170,00	1995,00
	200/50 ZR 17 M/C (75W) TL	34-20284	173,00	2016,00

**SPORT
SPORTEC™ STREET**

Front	Size	Code	Euro	Sek/Nok
17"	100/80 - 17 M/C 52H TL	34-27157	77,00	893,00
	110/70 - 17 M/C 54H TL	34-27153	81,00	950,00
Front/Rear	Size	Code	Euro	Sek/Nok
17"	120/70 - 17 M/C 58S TL	34-27616	91,00	1061,00
	70/90 - 17 M/C 38S TL	34-29037	70,00	803,00
	80/90 - 17 M/C 44S TL	34-29038	77,00	893,00
	90/80 - 17 M/C 46S TL	34-29039	80,00	924,00
Rear	Size	Code	Euro	Sek/Nok
17"	130/70 - 17 M/C 62H TL	34-27154	92,00	1082,00
	140/70 - 17 M/C 66H TL	34-27155	109,00	1260,00
	150/60 - 17 M/C 66H TL	34-27158	118,00	1370,00

METZELER X-Ply sport tyre for sporty motorcycles with X-Ply fitments up to 400cc. For a thrilling, agile and long lasting ride

- Designed to maximize the on-road performances of sport and naked bikes delivering safe and stable wet performance
- New profiles enable a sporty behavior thanks to enhanced contact patch, riding precision and directionality





SPORT TOURING
ROADTEC™ 01 SE

New!

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 M/C (58W) TL	34-3850800	169,00	1911,00
Rear	Size	Code	Euro	Sek/Nok
17"	160/60 ZR 17 M/C (69W) TL	34-3850900	211,00	2389,00
	180/55 ZR 17 M/C (73W) TL	34-3851000	223,00	2525,00
	190/50 ZR 17 M/C (73W) TL	34-3851200	233,00	2636,00
	190/55 ZR 17 M/C (75W) TL	34-3851300	241,00	2725,00

The Sporty Side of Touring

- Complementing the range of the multiple test winner ROADTEC™ 01 with a range dedicated to sport tourers, and owners of naked and supersport motorcycles
- Improved sporty riding benefits whilst keeping the outstanding sport touring characteristics for mileage and wet conditions
- Increased grip in full lean angle thanks to a new slick shoulder
- Enhanced handling through new carcass construction

ROADTEC™
O1



SPORT TOURING
ROADTEC™ 01

Front	Size	Code	Euro	Sek/Nok
17"	120/60 ZR 17 M/C (55W) TL	34-26699	146,00	1827,00
	120/70 ZR 17 M/C (58W) TL	34-26698	154,00	1806,00
	120/70 ZR 17 M/C (58W) TL (E)	34-3803500	175,00	1979,00
	120/70 ZR 17 M/C (58W) TL (HWM)	34-26812	160,00	1874,00
19"	110/80 R 19 M/C 59V TL	34-26700	176,00	2053,00
	120/70 ZR 19 M/C 60W TL	34-26701	182,00	2126,00
Rear	Size	Code	Euro	Sek/Nok
17"	150/70 R 17 M/C 69V TL	34-26706	204,00	2384,00
	170/60 ZR 17 M/C 72W TL	34-26707	212,00	2420,00
	180/55 ZR 17 M/C (73W) TL (HWM)	34-26813	212,00	2462,00
	190/50 ZR 17 M/C (73W) TL (HWM)	34-26814	226,00	2641,00
	190/55 ZR 17 M/C (75W) TL	34-26705	225,00	2630,00
	190/55 ZR 17 M/C (75W) TL (HWM)	34-26815	230,00	2672,00

HWM = Heavy Weight Motorcycles / E = CB650R

The sport touring world has changed.

Ride longer, ride farther, ride safer

The METZELER touring tyres, with a focus on enhancing grip on wet and low friction surfaces, an increased mileage and a high degree of adaptability to different motorcycles, riding styles and conditions. The contemporary answer to past and future needs.

- Enhanced grip on wider range of tarmac/weather conditions thanks to the tread design and unique compounds
- Larger and shorter contact patch and dual compound layout increase rear tyre mileage
- METZELER patented Interact system working in conjunction with tyre structure to ensure riding stability, comfort and precision

SPORT TOURING
X-Ply ROADTEC™ 01

New!

Front	Size	Code	Euro	Sek/Nok
16"	130/90 - 16 M/C 67H TL	34-3555200	138,00	1559,00
17"	110/70 - 17 M/C 54H TL	34-3132400	97,00	1139,00
	110/80 - 17 M/C 57H TL	34-3241200	106,00	1239,00
	110/80 - 17 M/C 57V TL	34-3241300	109,00	1460,00
18"	100/90 - 18 M/C 56H TL	34-3241400	110,00	1281,00
	100/90 - 18 M/C 56V TL	34-3241500	119,00	1391,00
	110/90 - 18 M/C 61V TL	34-3241600	135,00	1586,00
19"	100/90 - 19 M/C 57V TL	34-3132500	123,00	1439,00
	3.25 - 19 M/C 54H TL	34-3241700	99,00	1171,00
	3.25 - 19 M/C 54V TL	34-3242700	135,00	1586,00

Rear	Size	Code	Euro	Sek/Nok
16"	130/90 - 16 M/C 67V TL	34-3241800	142,00	1659,00
	150/80 - 16 M/C 71H TL	34-3555300	149,00	1680,00
17"	130/70 - 17 M/C 62H TL	34-3132600	121,00	1418,00
	130/80 - 17 M/C 65H TL	34-3241900	132,00	1549,00
	130/90 - 17 M/C 68V TL	34-3242000	148,00	1727,00
	140/70 - 17 M/C 66H TL	34-3242100	136,00	1596,00
18"	110/90 - 18 M/C 61H TL	34-3242500	125,00	1460,00
	120/90 - 18 M/C 65V TL	34-3132700	143,00	1670,00
	4.00 - 18 M/C 64V TL	34-3242800	173,00	2006,00



Radial sizes



X-Ply sizes



Super sport, naked
and supermoto



Grand tourer
and adventure bikes



Classic and old glories

Dedicated to all kinds of sport touring bikes.

- ROADTEC™ 01 SE: sport performance for naked or super sport bikes.
- ROADTEC™ 01 (HWM* and trail sizes): the sport touring tyre with reinforced carcass construction for heavy touring motorcycles.
- ROADTEC™ 01 (X-PLY sizes): the perfect all-rounder in the classic segment. ROADTEC™ 01 with X-ply structure.

*Heavy weight motorcycle



Excellence on wet roads.

Water won't catch you unprepared

- A long-time test winner until the breakthrough of ROADTEC™ 01, it provides a sublime blend of precise and effortless handing
- INTERACT™ Technology with three zone steel string tension layout that enhances ride enjoyment: High Mileage and Safety Feeling when cornering
- Dual compound on rear (M) and (O) special version, with five zone steel string tension layout provide the best wet performance in the Sport Touring segment
- Riding easiness, Predictability, Neutrality in maneuvers
- CMT (contour Modeling Technology) delivers more intuitive and effective handling characteristics
- π shaped tread pattern design provides improved water drainage, safety on wet and modern look

**SPORT TOURING
ROADTEC™ Z8 INTERACT™**

Front	Size	Code	Euro	Sek/Nok
17"	110/70 ZR 17 M/C 54W TL (M)	34-2491300	122,00	1428,00
	120/60 ZR 17 M/C (55W) TL (M)	34-24912	123,00	1439,00
	120/70 ZR 17 M/C (58W) TL (E)	34-21266	133,00	1559,00
	120/70 ZR 17 M/C (58W) TL (M)	34-22836	131,00	1528,00
18"	110/80 ZR 18 M/C (58W) TL (M)	34-24915	148,00	1717,00
	120/70 ZR 18 M/C (59W) TL (M)	34-24914	139,00	1659,00
Rear	Size	Code	Euro	Sek/Nok
17"	150/70 ZR 17 M/C (69W) TL (M)	34-24917	173,00	2016,00
	160/60 ZR 17 M/C (69W) TL (M)	34-24916	166,00	1937,00
	170/60 ZR 17 M/C (72W) TL (M)	34-24919	175,00	2084,00
	180/55 ZR 17 M/C (73W) TL (K)	34-24268	176,00	2053,00
18"	180/55 ZR 17 M/C (73W) TL (M)	34-22837	172,00	2016,00
	180/55 ZR 17 M/C (73W) TL (O)	34-22838	179,00	2126,00
	190/50 ZR 17 M/C (73W) TL (M)	34-3865800	188,00	2121,00
	190/50 ZR 17 M/C (73W) TL (O)	34-22840	191,00	2226,00
18"	190/55 ZR 17 M/C (75W) TL (M)	34-3865900	193,00	2184,00
	190/55 ZR 17 M/C (75W) TL (O)	34-22842	197,00	2305,00
	140/70 ZR 18 M/C (67W) TL (M)	34-24158	173,00	2006,00
	160/60 ZR 18 M/C (70W) TL (M)	34-24918	176,00	2053,00

M = Normal / O = Reinforced

E = Honda NC700 S,X / K = BMW K1300 GT



**Sport Touring radial tyre
delivering performance in
all-weather conditions**

- The perfect all-round radial Sport Touring tyre. For value seekers, Z6 delivers valuable dry grip, wet performance, light, handling, comfort – and mileage.

**SPORT TOURING
ROADTEC™ Z6**

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 M/C (58W) TL	34-14481	97,00	1139,00
18"	160/60 ZR 17 M/C (69W) TL	34-14487	123,00	1470,00
	160/70 ZR 17 M/C 73W TL	34-1619500	144,00	1607,00
	180/55 ZR 17 M/C (73W) TL	34-14486	129,00	1507,00
	190/50 ZR 17 M/C (73W) TL	34-14490	135,00	1607,00
18"	160/60 ZR 18 M/C (70W) TL	34-14489	130,00	1528,00



**Heritage tread pattern and
modern technological solutions to
enhance style and performance of
the motorcycle**

- "Sport Touring" carcass design with lighter, more resistant Polyester fibre, giving higher comfort and improving handling
- "Classic" tread pattern design ensuring effective water dispersal for safe wet riding and wear regularity with long lasting mileage
- High-Silica compounds for outstanding grip both in dry and in wet

**TOURING
LASERTEC™**

Front	Size	Code	Euro	Sek/Nok
16"	120/80 VB 16 M/C (60V) TL	34-15311	120,00	1391,00
17"	120/70 - 17 M/C 58V TL	34-15312	116,00	1349,00
18"	100/90 V 18 M/C (56V) TL	34-15345	111,00	1292,00
	110/80 - 18 M/C 58H TL	34-15305	112,00	1307,00
	110/80 V 18 M/C (58V) TL	34-15348	128,00	1496,00
	90/90 - 18 M/C 51H TL	34-15317	97,00	1139,00
19"	110/90 - 19 M/C 62H TL	34-15308	130,00	1528,00
	3.50 - 19 M/C 57H TL	34-15315	132,00	1549,00
	90/90 - 21 M/C 54H TL	34-15318	108,00	1250,00

TOURING
LASERTEC™

CONTINUES...

Rear	Size	Code	Euro	Sek/Nok
15"	130/90 - 15 M/C 66S TL	34-18067	123,00	1439,00
16"	150/80 VB 16 M/C (71V) TL	34-15334	148,00	1727,00
17"	160/70 B 17 M/C 73V TL	34-15338	170,00	1995,00
18"	130/70 - 18 M/C 63H TL	34-15330	122,00	1428,00
	130/80 V 18 M/C (66V) TL	34-15331	133,00	1559,00

TOURING
ME 22™

Front / Rear	Size	Code	Euro	Sek/Nok
17"	2.75 - 17 M/C 47P Reinf	34-2704500	42,00	483,00
18"	2.75 - 18 M/C 48P TL Reinf	34-15463	39,00	457,00
	3.25 - 18 59P Reinf	34-01137	53,00	614,00

A renowned classic tread pattern dedicated to medium-small capacity motorcycles, thanks to an unique groove geometry for great water drainage, high mileage and consistent performance.



TOURING
PERFECT ME 11™

Front	Size	Code	Euro	Sek/Nok
19"	3.00 - 19 49S	34-07472	144,00	1670,00
	3.25 - 19 54S TL	34-01111	92,00	1071,00

Classic touring

Renowned classic tread pattern dedicated to medium-small capacity motorcycles, thanks to unique groove geometry for great water drainage, high mileage and consistent performance



TOURING
BLOCK™ K

Front / Rear	Size	Code	Euro	Sek/Nok
18"	4.00 - 18 64P	34-01097	111,00	1292,00

Classic touring

Renowned classic tread pattern dedicated to medium-small capacity motorcycles, thanks to unique groove geometry for great water drainage, high mileage and consistent performance



TOURING
BLOCK™ C

Front / Rear	Size	Code	Euro	Sek/Nok
16"	2.75 - 16 46P Reinf	34-01092	68,00	793,00
	3.25 - 16 55P Reinf	34-01095	92,00	1082,00
19"	3.50 - 16 58P Reinf	34-01096	100,00	1171,00
	3.00 - 19 54P Reinf	34-01098	82,00	961,00
	3.25 - 19 54P	34-01099	92,00	1071,00
	3.50 - 19 57P	34-01100	99,00	1103,00

Classic touring

Renowned classic tread pattern dedicated to medium-small capacity motorcycles, thanks to unique groove geometry for great water drainage, high mileage and consistent performance





METZELER
MOTORCYCLE TYRES

Tyres



From METZELER legacy, Tyre Technology for devotees of vintage customizations

- Tyre contour with wide curvature for easy handling and precise cornering
- Geometric art tread design with center longitudinal groove and thick sidewall for a unique vintage look, efficient water drainage and high mileage
- Proven grip and high slip resistance on wet and dry road

**CRUISING
PERFECT ME 77™**

Front	Size	Code	Euro	Sek/Nok
16"	130/90 - 16 M/C 67H TL	34-3139700	164,00	1895,00
18"	3.50 - 18 56S TL	34-01304	73,00	851,00
	90/100 - 18 M/C 54S	34-1253000	59,50	725,00
19"	3.50 - 19 57S TL	34-01309	94,00	1103,00
	21 90/90 - 21 M/C 54H TL	34-3139600	149,00	1727,00

Rear	Size	Code	Euro	Sek/Nok
15"	130/90 - 15 M/C 66S TL	34-12682	93,00	1092,00
	140/90 - 15 M/C 70S	34-07473	93,00	1113,00
16"	120/90 - 16 M/C 63H TL	34-01331	86,00	1003,00
	130/90 B 16 M/C 73H TL Reinf	34-3139800	209,00	2405,00
	150/80 B 16 M/C 77H TL Reinf	34-3139900	215,00	2483,00
18"	110/90 - 18 M/C 61S	34-1253100	86,50	1061,00
	3.50 - 18 56S	34-01305	96,00	1082,00
	4.00 - 18 64H TL	34-01318	120,00	1407,00

CRUISETEC™



Performance Perfected

The ultimate V-Twin tyre to perfect the performance of yesterday's, today's and tomorrow's V-Twins

- Enjoy performance-cruising also in wet conditions
- A consistent performance
- Smooth and effortless riding
- Enhanced confidence and safety
- Dual-Compound layout on rears and performance-oriented contour

**CRUISING
CRUISETEC™**

Front	Size	Code	Euro	Sek/Nok
16"	130/90 B 16 M/C 73H TL Reinf	34-3576400	220,00	2552,00
	150/80 - 16 M/C 71H TL	34-3576900	213,00	2462,00
	MT90 B 16 M/C 72H TL	34-3578000	194,00	2242,00
17"	100/80 - 17 M/C 52H TL	34-3822700	149,00	1691,00
	130/80 B 17 M/C 65H TL	34-3576100	162,00	1874,00
18"	130/70 R 18 M/C 63H TL	34-3578400	228,00	2630,00
	160/60 R 18 M/C 70V TL	34-3797200	229,00	2599,00
19"	100/90 - 19 M/C 57H TL	34-3576600	157,00	1817,00
	110/90 - 19 M/C 62H TL	34-3577600	169,00	1964,00
	120/70 ZR 19 M/C (60W) TL	34-3577300	252,00	2909,00
	130/60 B 19 M/C 61H TL	34-3576300	266,00	3087,00
	130/60 B 19 M/C 66H TL Reinf	34-3773300	289,00	3281,00
21"	120/70 B 21 M/C 68H TL Reinf	34-3577200	258,00	2987,00
	130/60 B 21 M/C 63H TL	34-3797300	274,00	3103,00
	MH90 - 21 M/C 54H TL	34-3577800	159,00	1838,00

Rear	Size	Code	Euro	Sek/Nok
15"	140/75 R 15 M/C 65H TL	34-3822800	264,00	2987,00
16"	MT90 B 16 M/C 74H TL	34-3578300	244,00	2819,00
	MU85 B 16 M/C 77H TL	34-3578100	259,00	2987,00
	130/90 B 16 M/C 73H TL Reinf	34-3576800	220,00	2552,00
	150/80 B 16 M/C 77H TL Reinf	34-3576500	226,00	2620,00
	180/60 R 16 M/C 80H TL Reinf	34-3577700	276,00	3197,00
	180/60 R 16 M/C 80H TL Reinf (I)	34-3838700	284,00	3208,00
	180/65 B 16 M/C 81H TL Reinf	34-3576200	262,00	3019,00
	180/70 B 16 M/C 77H TL	34-3577000	274,00	3176,00
	200/55 R 16 M/C 77H TL Reinf	34-3578500	396,00	4578,00
17"	160/70 B 17 M/C 79V TL Reinf	34-3576700	236,00	2741,00
	200/55 R 17 M/C 78V TL	34-3577900	300,00	3476,00



Rear	Size	Code	Euro	Sek/Nok
18"	150/70 B 18 M/C 76H TL Reinf	34-3578200	253,00	2919,00
	180/55 B 18 M/C 80H TL Reinf	34-3577100	291,00	3365,00
	180/55 ZR 18 M/C (74W) TL	34-3577500	314,00	3617,00
	240/40 VR 18 M/C (79V) TL	34-3577400	322,00	3722,00
	260/40 VR 18 M/C (84V) TL	34-3656900	340,00	3943,00

I = Indian Raptor 2020

CRUISING

ME 888 MARATHON™ ULTRA

Front	Size	Code	Euro	Sek/Nok
16"	130/90 - 16 M/C 67H TL WHITEWALL	34-24076	191,00	2226,00
	130/90 - 16 M/C 67H TL	34-23180	158,00	1848,00
	130/90 B 16 M/C 73H TL Reinf	34-27036	204,00	2384,00
	150/80 - 16 M/C 71H TL	34-26616	198,00	2242,00
	150/80 R 16 M/C 71V TL	34-26806	214,00	2494,00
	MT90 B 16 M/C 72H TL WHITEWALL	34-24075	219,00	2552,00
	MT90 B 16 M/C 72H TL	34-23181	180,00	2105,00
	120/70 B 17 M/C 58V TL	34-27032	149,00	1738,00
	120/80 - 17 M/C 61V TL	34-3133000	160,00	1895,00
	120/90 - 17 M/C 64S TT	34-3133100	134,00	1586,00
17"	130/70 R 17 M/C 62V TL	34-3133200	199,00	2258,00
	130/80 B 17 M/C 65H TL WHITEWALL	34-24077	181,00	2116,00
	130/80 B 17 M/C 65H TL	34-23182	151,00	1759,00
	140/75 R 17 M/C 67V TL	34-3133300	216,00	2520,00
	140/80 - 17 M/C 69H TL	34-27035	182,00	2888,00
	150/80 R 17 M/C 72V TL	34-26808	229,00	2672,00
	100/90 - 18 M/C 56H TL	34-27037	141,00	1638,00
	110/90 - 18 M/C 61H TL	34-27038	151,00	1759,00
	120/70 ZR 18 M/C (59W) TL	34-3133600	223,00	2609,00
	130/60 VR 18 M/C (60V) TL	34-3133800	224,00	2651,00
18"	130/70 B 18 M/C 63H TL	34-25315	148,00	1759,00
	130/70 R 18 M/C 63H TL	34-24294	208,00	2473,00
	130/70 R 18 M/C 63V TL	34-3133900	235,00	2662,00
	140/70 B 18 M/C 73H TL Reinf	34-3134000	187,00	2174,00
	100/90 - 19 M/C 57H TL ORANGEWALL	34-3483600	187,00	2226,00
	100/90 - 19 M/C 57H TL WHITEWALL	34-24078	176,00	2053,00
	100/90 - 19 M/C 57H TL	34-3745700	161,00	1822,00
	110/90 - 19 M/C 62H TL	34-26615	174,00	1995,00
	120/70 ZR 19 M/C (60W) TL	34-26807	234,00	2730,00
	130/60 B 19 M/C 61H TL	34-26348	248,00	2898,00
21"	80/90 - 21 M/C 48H TL	34-27030	103,00	1628,00
	90/90 - 21 M/C 54H TL	34-26164	146,00	1706,00
	120/70 - 21 M/C 62V TL	34-3134100	207,00	2342,00
	120/70 B 21 M/C 68H TL Reinf WHITEWALL	34-27181	317,00	3607,00
	120/70 B 21 M/C 68H TL Reinf	34-26617	265,00	3014,00
	MH90 - 21 M/C 54H TL WHITEWALL	34-24085	179,00	2084,00
	MH90 - 21 M/C 54H TL	34-24086	148,00	1727,00
23"	130/60 B 23 M/C 65H TL	34-24293	199,00	2331,00
26"	26 120/55 R 26 M/C 67H TL Reinf	34-25499	285,00	3329,00



Ultra mileage, Metzeler performance

- Ultra high mileage coupled with Metzeler performance and handling also on wet
- Specifically designed for big tourers, V-Twin cruisers and their customizations
- Technology offering consistent performance throughout the tyre's life
- Outstanding smooth handling
- Ultra-wide range including radial and bias belted tyres, XXL fronts and rears, fronts up to 26 inches, whitewalls and orangewalls for an incomparable customization style





METZELER
MOTORCYCLE TYRES

Tyres



CRUISING

ME 888 MARATHON™ ULTRA

CONTINUES...

Rear	Size	Code	Euro	Sek/Nok
15"	140/90 B 15 M/C 70H TL	34-24087	172,00	2053,00
	150/80 B 15 M/C 70V TL	34-3134300	212,00	2531,00
	150/90 B 15 M/C 80H TL Reinf	34-26165	186,00	2216,00
	160/80 - 15 M/C 74S	34-3134400	164,00	1948,00
	170/80 B 15 M/C 77H TL WHITEWALL	34-24079	249,00	2909,00
	170/80 B 15 M/C 77H TL	34-23184	204,00	2384,00
	180/70 B 15 M/C 76H TL	34-27031	214,00	2436,00
	200/70 B 15 M/C 82H TL	34-3134500	235,00	2783,00
16"	130/90 B 16 M/C 73H TL Reinf WHITEWALL	34-24083	245,00	2861,00
	130/90 B 16 M/C 73H TL Reinf	34-23185	200,00	2384,00
	140/90 B 16 M/C 77H TL Reinf WHITEWALL	34-24089	244,00	2840,00
	140/90 B 16 M/C 77H TL Reinf	34-24088	214,00	2494,00
	150/80 B 16 M/C 77H TL Reinf ORANGEWALL	34-3483700	269,00	3197,00
	150/80 B 16 M/C 77H TL Reinf WHITEWALL	34-24080	252,00	2940,00
	150/80 B 16 M/C 77H TL Reinf	34-23186	207,00	2462,00
	160/80 B 16 M/C 75H TL	34-26166	264,00	3003,00
	170/70 B 16 M/C 75H TL	34-25316	253,00	2888,00
	180/60 R 16 M/C 74H TL	34-24295	259,00	2940,00
	180/60 R 16 M/C 80H TL Reinf	34-26349	284,00	3224,00
	180/65 B 16 M/C 81H TL Reinf WHITEWALL	34-24084	291,00	3397,00
	180/65 B 16 M/C 81H TL Reinf	34-23187	244,00	2840,00
	180/70 R 16 M/C 77V TL	34-26809	272,00	3092,00
	200/60 R 16 M/C 79V TL	34-27040	308,00	3502,00
	240/50 R 16 M/C 84V TL	34-2681100	311,00	3633,00
	MT90 B 16 M/C 74H TL WHITEWALL	34-24082	272,00	3187,00
	MT90 B 16 M/C 74H TL	34-23188	227,00	2651,00
	MU85 B 16 M/C 77H TL WHITEWALL	34-24081	287,00	3339,00
	MU85 B 16 M/C 77H TL	34-23189	240,00	2809,00
17"	140/80 B 17 M/C 69V TL	34-3134600	223,00	2504,00
	160/70 B 17 M/C 79V TL Reinf	34-24090	216,00	2573,00
	170/60 R 17 M/C 78V TL Reinf	34-3134700	265,00	3098,00
	180/60 B17 M/C TL 75V	34-2703300	271,00	3166,00
	200/50 ZR 17 M/C 75W TL	34-2681000	302,00	3533,00
	200/55 R 17 M/C 78V TL	34-27039	280,00	3266,00
	210/50 ZR 17 M/C (78W) TL	34-3134800	347,00	3943,00
18"	150/70 B 18 M/C 76H TL Reinf	34-26167	260,00	2956,00
	160/60 R 18 M/C 76V TL Reinf	34-3134900	275,00	3124,00
	180/55 B 18 M/C 80H TL Reinf	34-26347	263,00	3008,00
	180/55 ZR 18 M/C (74W) TL	34-27042	322,00	3659,00
	200/50 R 18 M/C 82H TL Reinf	34-2703400	294,00	3428,00
	200/50 ZR 18 M/C (76W) TL	34-3135000	305,00	3565,00
	210/40 R 18 M/C 73H TL	34-3135100	274,00	3197,00
	240/40 VR 18 M/C (79V) TL	34-27041	293,00	3497,00
	260/40 VR 18 M/C (84V) TL	34-2781500	339,00	4043,00
	280/35 VR 18 M/C (84V) TL	34-3135200	334,00	3911,00
	300/35 VR 18 M/C (87V) TL	34-3135300	356,00	4153,00

TOURANCE™ NEXT

ENDURO STREET

TOURANCE™ NEXT

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 M/C (58W) TL	34-24168	152,00	1785,00
19"	100/90 - 19 M/C 57V TL	34-24160	134,00	1495,00
	100/90 - 19 M/C 57V TL	34-3773100	148,00	1675,00
	110/80 R 19 M/C 59V TL	34-20847	134,00	1559,00
	120/70 R 19 M/C 60V TL	34-23120	132,00	1538,00
	120/70 ZR 19 M/C 60W TL	34-24390	139,00	1617,00
21"	90/90 - 21 M/C 54V TL	34-23121	133,00	1559,00

Rear	Size	Code	Euro	Sek/Nok
17"	130/80 R 17 M/C 65V TL	34-24911	152,00	1775,00
	140/80 R 17 M/C 69V TL	34-23122	173,00	2016,00
	150/70 R 17 M/C 69V TL	34-20848	165,00	1937,00
	150/70 R 17 M/C 69V TL (B)	34-24393	168,00	1974,00
	160/60 ZR 17 M/C (69W) TL	34-24170	158,00	1838,00
	170/60 R 17 M/C 72V TL	34-23123	169,00	1974,00
	170/60 ZR 17 M/C 72W TL	34-24394	177,00	2063,00
	180/55 ZR 17 M/C (73W) TL	34-24169	220,00	2573,00
	190/55 ZR 17 M/C (75W) TL	34-24171	227,00	2499,00
18"	150/70 R 18 M/C 70V TL	34-28033	196,00	2231,00

B = BMW F700GS

Two tyres, one bike, zero limits

Setting the standard for enduro street bikes

Enduro street tyre that dares you to challenge any weather condition and any road

- The renowned benchmark for handling, wet performance and duration in the segment of tyres for adventure bikes

- Dual-Compound rear sizes

- A must-have for all the generations of Adventure bikes

- The genuine equipment of multiple BMW R 1200 GS model years and



TOURANCE™

ENDURO STREET

TOURANCE™

Front	Size	Code	Euro	Sek/Nok
19"	100/90 - 19 M/C 57H TL	34-10124	113,00	1328,00
	100/90 - 19 M/C 57H TL	34-3773000	125,00	1407,00
	110/80 - 19 M/C 59H TL	34-3079800	102,00	1192,00
	110/80 R 19 M/C 59V TL	34-23159	118,00	1391,00
	120/70 R 19 M/C 60V TL	34-27634	131,00	1481,00
21"	90/90 - 21 M/C 54S	34-3555600	106,00	1208,00
	90/90 - 21 M/C 54H TL	34-10126	113,00	1318,00

Rear	Size	Code	Euro	Sek/Nok
17"	120/90 - 17 M/C 64S	34-10122	97,00	1139,00
	130/80 - 17 M/C 65S	34-12094	109,00	1271,00
	130/80 R 17 M/C 65H TL	34-10120	127,00	1481,00
	130/80 R 17 M/C 65S TL	34-10868	114,00	1339,00
	140/80 R 17 M/C 69H TL	34-10121	146,00	1706,00
	150/70 R 17 M/C 69H TL	34-3079900	163,00	1843,00
	150/70 R 17 M/C 69V TL	34-11279	146,00	1738,00
	170/60 R 17 M/C 72V TL	34-27635	151,00	1759,00
18"	120/80 - 18 M/C 62S	34-2058900	84,00	982,00

Dual Purpose tyre developed and tuned for the big, modern street oriented Enduro bikes

- Carcass structures designed for enhanced straight line stability at high speed with smooth rolling characteristics for long distance journeys

- Maximum mileage on the street and great traction also on light off-road surfaces thanks to tread layout and compound

- Great grip with light and precise handling make riding easier in all weather conditions



METZELER
MOTORCYCLE TYRES

Tyres





All-round dual purpose tyre dedicated to on-road riding and light off-road for a wide usage range

- The Legendary genuine fitment of several BMW G/S airheads (both monolever and Paralever) since 1980
- Tread Pattern design with optimized blocks distribution for smooth running performance
- Compound tuned specifically for high mileage
- Reliable slip resistance on the road, good power transfer on different surfaces.

**ENDURO STREET
ENDURO 1 & 2**

Front	Size	Code	Euro	Sek/Nok
21"	3.00 - 21 51R	34-01394	81,00	950,00
Rear	Size	Code	Euro	Sek/Nok
18"	4.00 - 18 64R	34-01392	122,00	1428,00

**KAROO™
Street**



The off-road tyre with on-road performance

- Outstanding on-road performances on a knobbly tread pattern
- High Silica compound to achieve a high level of grip on road, both in dry and wet conditions
- Excellent traction on dirt, with on-road agility
- Maintaining top cornering precision and stability throughout the tyre's life
- Constant contact patch enables good integration with electronic rider aids

**ENDURO ON/OFF
KAROO™ STREET**

Front	Size	Code	Euro	Sek/Nok
17"	120/70 R 17 M/C 58V M+S TL	34-3555800	139,00	1649,00
19"	110/80 R 19 M/C 59V M+S TL	34-3142500	137,00	1607,00
	120/70 R 19 M/C 60V M+S TL	34-3142600	136,00	1596,00
21"	90/90 - 21 M/C 54H TL	34-3735300	126,00	1428,00
	90/90 - 21 M/C 54H TT	34-3735100	126,00	1428,00
	90/90 - 21 M/C 54V M+S TL	34-3142700	128,00	1449,00

Rear	Size	Code	Euro	Sek/Nok
17"	130/80 R 17 M/C 65V M+STL	34-3556000	163,00	1937,00
	140/80 R 17 M/C 69V M+S TL	34-3556100	158,00	1801,00
	150/70 R 17 M/C 69V M+S TL	34-3142800	168,00	1911,00
	170/60 R 17 M/C 72V M+S TL	34-3142900	173,00	2016,00
18"	150/70 R 18 M/C 70H TL	34-3735400	161,00	1822,00
	150/70 R 18 M/C 70H TT	34-3735200	161,00	1822,00
	150/70 R 18 M/C 70V M+S TL	34-3143000	163,00	1853,00

M+S = Mud + Snow



METZELER KAROO™ STREET.

EVEN IN CASE OF ASPHALT.

Here it comes the METZELER KAROO™ Street, a knobbly tyre ensuring outstanding on-road performances beside remarkable off-road capabilities. Stability, agility, grip on wet and a high off-road traction will be with you during each adventure. METZELER KAROO™ Street. Freedom to choose your path. **Discover more on www.metzeler.co.uk**



METZELER 

KAROO™
Street



KAROO™ 3



The best companion for your off-road adventures. Dedicated to off-road explorers.

The official partner of 2020 BMW GS Trophy.

- Enhanced Off-Road traction and handling
- Cutting edge tread design lends to reliable on-road performances
- Extended mileage for boudless adventures
- Versatile and suitable for both light and heavy ENDURO bikes

ENDURO ON/OFF KAROO™ 3

Front	Size	Code	Euro	Sek/Nok
19"	110/80 - 19 M/C 59R M+S TL	34-23160	103,00	1202,00
21"	120/70 R 19 M/C 60T M+S TL	34-23161	120,00	1407,00
	90/90 - 21 M/C 54R M+S TL	34-23162	101,00	1218,00

Rear	Size	Code	Euro	Sek/Nok
17"	130/80 - 17 M/C 65R M+S TL	34-23165	124,00	1460,00
	140/80 - 17 M/C 69R M+S TL	34-23166	127,00	1481,00
	150/70 - 17 M/C 69R M+S TL	34-23163	141,00	1638,00
	170/60 R 17 M/C 72T M+S TL	34-23164	152,00	1775,00
18"	140/80 - 18 M/C 70R M+S TL	34-23167	132,00	1549,00
	150/70 - 18 M/C 70R M+S TL	34-23168	144,00	1670,00

KAROO™ *Extreme*



Multipurpose and racing rally off-road tyre with extreme traction and versatility

- Blocks layout and shape for massive traction in desert dunes and off-road fords
- Strength, resistance and durability for every long distance off-road application
- Extreme versatility of use on all kind of terrains including on-road transfers
- Outstanding stability on high-speed pipeline straights

ENDURO ON/OFF KAROO™ Extreme

New!

Rear	Size	Code	Euro	Sek/Nok
18"	150/70 R 18 M/C 70S MST TL	34-3560500	163,00	1843,00

MST = Multi Service Tyre



Enduro tyre with very good on-road performance dedicated to the globetrotters always looking for fun riding no matter what the terrain is

- Dedicated tread compound perfectly combining safe on-road cornering grip and good off-road traction
- Tread pattern geometry designed for fast self-cleaning: stable and precise trajectories without skidding also on soft, muddy terrains
- Great handling with easy corner entry, stable cornering and high safety margins when riding at the limit

ENDURO ON/OFF ENDURO 3 SAHARA

Front	Size	Code	Euro	Sek/Nok
21"	90/90 - 21 M/C 54H TL	34-16258	131,00	1538,00
Rear	Size	Code	Euro	Sek/Nok
17"	120/90 - 17 M/C 64S	34-01436	136,00	1596,00
	130/80 - 17 65T TL	34-01436	136,00	1596,00
	130/80 - 17 M/C 65S	34-01439	136,00	1596,00
	140/80 - 17 M/C 69H	34-01437	163,00	1916,00
18"	120/80 - 18 M/C 62S	34-01429	128,00	1428,00
	140/80 - 18 M/C 70S	34-16356	134,00	1570,00

**ENDURO OFF ROAD
SIX DAYS EXTREME - F.I.M.**


Front	Size	Code	Euro	Sek/Nok
21"	90/90 - 21 M/C 54M M+S Hard	34-17448	75,00	845,00
	90/90 - 21 M/C 54M M+S (K)	34-3252400	75,00	845,00
	90/90 - 21 M/C 54M M+S	34-24776	66,00	772,00
	90/100 - 21 M/C 57R MST	34-3286500	80,00	924,00

Rear	Size	Code	Euro	Sek/Nok
18"	120/90 - 18 M/C 65M M+S	34-16238	90,00	1082,00
	130/90 - 18 M/C 69M M+S	34-19072	94,00	1075,00
	140/80 - 18 M/C 70M M+S	34-24777	93,00	1092,00
	140/80 - 18 M/C 70M M+S (S) Soft	34-3776600	112,00	1260,00

K = KTM / M+S = Mud + Snow / MST = Multi Service Tyre

Ultimate ENDURO F.I.M. tyre, dominating both the ENDURO GP and Extreme ENDURO racing world, developed with factory riders for your most extreme challenges

- High-resistance Polyester carcass-material with X-ply construction for superior structural characteristics and excellent puncture resistance
- Tread block layout designed to offer tailored grip and control depending on the application
- Range includes sizes and specifications (Front: Hard; Rear: Soft and supersoft) dedicated to extreme/hard enduro.





MC360™



Optimal choice for soft and midsoft terrains

- Alternated cut knobs for progressive cornering action.
- Parabola-shaped center knobs maximizing carving and traction on soft and mid-soft terrain.
- Optimal directional and steering feeling.

MOTOCROSS MC360™ MID SOFT

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 M/C 51M MST	34-27620	59,00	693,00
	90/90 - 21 M/C 54M MST	34-2900600	61,00	714,00
Rear	Size	Code	Euro	Sek/Nok
18"	110/100 - 18 M/C 64M MST	34-27624	74,00	861,00
	120/100 - 18 M/C 68M MST	34-27626	77,00	893,00
	120/80 - 18 M/C 58R MST	34-3822900	82,00	929,00
	140/80 - 18 M/C 70M MST	34-2900700	89,00	1008,00
19"	100/90 - 19 M/C 57M MST	34-27628	73,00	851,00
	110/90 - 19 M/C 62M MST	34-27622	77,00	893,00
	120/80 - 19 M/C 63M MST	34-2763200	83,00	1003,00

MST = Multi Service Tyre

MC360™



The perfect tyre for medium and hard terrain

- CKB (Continuous Knob Binding) improving tearing and wearing resistance of the knobs.
- Larger block size to increase contact patch.
- Alternated -cut-knob for outstanding durability.

MOTOCROSS MC360™ MID HARD

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 M/C 51M MST	34-27621	59,00	693,00
	90/90 - 21 M/C 54M MST	34-29008	61,00	772,00
Rear	Size	Code	Euro	Sek/Nok
18"	110/100 - 18 M/C 64M MST	34-27625	74,00	861,00
	120/100 - 18 M/C 68M MST	34-27627	77,00	893,00
	140/80 - 18 M/C 70M MST	34-2900900	81,00	940,00
19"	100/90 - 19 M/C 57M MST	34-27629	80,00	914,00
	110/90 - 19 M/C 62M MST	34-27623	84,00	956,00
	120/80 - 19 M/C 63M MST	34-2763300	87,00	987,00

MST = Multi Service Tyre

SCOOTER

FEELFREE™ WINTEC

Front	Size	Code	Euro	Sek/Nok
12"	120/70 - 12 51P M+S TL	34-19760	92,00	992,00
13"	110/70 - 13 M/C 48P M+S TL	34-20352	98,00	1150,00
14"	120/80 - 14 M/C 58S M+S TL	34-18705	101,00	1181,00
15"	120/70 - 15 M/C 56P M+S TL	34-18706	98,00	1150,00
16"	110/70 - 16 M/C 52P M+S TL	34-2136600	102,00	1139,00
Rear	Size	Code	Euro	Sek/Nok
12"	130/70 - 12 M/C 62P M+S TL Reinf	34-19761	82,00	961,00
13"	150/70 - 13 M/C 64S M+S TL	34-18707	110,00	1281,00
14"	140/70 - 14 M/C 68P M+S TL Reinf	34-18708	117,00	1370,00
16"	130/70 - 16 M/C 61P M+S TL	34-2319200	136,00	1517,00

M+S = Mud + Snow

Renowned equipment for a high performance scooters, meeting the highest standards of reliability and safety

- METZELER wet performance thanks to a wide contact area and high-silica compounds

- Profile optimized for high-speed stability and handling meets a tread pattern design conceived for highly valued METZELER motorcycle sport-touring tyres

- A premium genuine fitment of multiple hi-performance scooters by high-end manufacturers.



Sportec™ Street

SCOOTER

SPORTEC™ STREET

Front	Size	Code	Euro	Sek/Nok
14"	80/90 - 14 M/C 40S TL	34-2716000	49,00	572,00
Rear	Size	Code	Euro	Sek/Nok
14"	90/90 - 14 M/C 46S TL	34-2716300	54,00	635,00

A X-Ply sporty range for thrilling, agile and long lasting scooter riding

- Sporty profiles enable dynamic and precise trajectories

- Durability and wear uniformity

- Designed to maximise the on-road performance providing safe and stable wet performance.



SCOOTER

ME 7 TEEN™

Front / Rear	Size	Code	Euro	Sek/Nok
10"	100/80 - 10 53L TL	34-09309	42,00	483,00
	110/80 - 10 58L TL	34-09310	51,00	557,00
	120/90 - 10 66L TL	34-09313	52,00	604,00
	130/70 - 10 59L TL Reinf	34-12030	58,00	683,00
	130/90 - 10 61L TL	34-09314	58,00	683,00
11"	130/70 - 11 60L TL Reinf	34-09675	55,00	662,00
	110/90 - 12 64L TL	34-09678	58,00	683,00
	120/70 - 12 51L TL	34-25889	55,00	646,00
	130/70 - 12 62L TL Reinf	34-10308	59,00	693,00
12"	140/70 - 12 60L TL	34-09676	60,00	714,00
	120/70 - 13 M/C 53L TL	34-09317	57,00	672,00
	130/60 - 13 M/C 53L TL	34-25890	56,00	599,00
	140/60 - 13 M/C 57L TL	34-09319	63,00	751,00

Low-profile scooter tyres developed for daily commuting in the "urban jungle"

- Grip and easy handling for agile handling in urban areas

- All-season compound developed for effective water drainage and great fun in all weather conditions





METZELER
MOTORCYCLE TYRES

Tyres



RACING PRO
RACETEC™ RR SLICK

Front	Size	CPD	Code	Euro	Sek/Nok
17"	120/70 R 17 NHS TL	K1	34R-26985	231,00	2625,00
	120/70 R 17 NHS TL	K2	34R-26986	231,00	2625,00
Rear	Size	CPD	Code	Euro	Sek/Nok
17"	180/60 R 17 NHS TL	K1	34R-26987	300,00	3418,00
	180/60 R 17 NHS TL	K2	34R-26988	300,00	3418,00
200/60 R 17 NHS TL	K0	34R-3656700	346,00	3932,00	
	K1	34R-26989	346,00	3932,00	
200/60 R 17 NHS TL	K2	34R-26990	346,00	3932,00	


K0 = Super Soft / K1 = Soft / K2 = Medium

METZELER professional racing slick tyres, the winner of 2019 Senior TT


- High-intensity adherence, agility and predictability at all stages thanks to racing profiles and state-of-the art technology compounds
- Trajectory precision and superb high-speed stability developed over the toughest Road Races
- Performance consistency, lap after lap or over the course of lengthy road races
- New K2 compound, designed to deliver remarkable performance consistency over multiple and diverse track sessions



FRONT SPECIFICATION CHOICE



REAR SPECIFICATION CHOICE



Note: Temperature scale refers to tyre operating temperature. Compound choice can vary depending on bike setup and riding style.
Please check with your dealer or racing service.

RACING PRO
RACETEC™ RR RAIN

Front	Size	CPD	Code	Euro	Sek/Nok
17"	120/70 R 17 NHS TL	KR1	34R-3310800	201,00	2352,00
Rear	Size	CPD	Code	Euro	Sek/Nok
17"	190/60 R 17 NHS TL	KR1	34R-3310900	288,00	3355,00

NHS Competition tyres for severe wet conditions

- Deep tread grooves for efficient water evacuation
- 100% Silica compound for grip on extreme wet conditions
- Superb traction and stability at high speed





Racetec™

SM



METZELER
MOTORCYCLE TYRES



RACING PRO **RACETEC™ SM**


Front	Size	CPD	Code	Euro	Sek/Nok
16,5"	125/75 R 420 NHS TL	K1	34R-25421	193,00	2252,00
	125/75 R 420 NHS TL	K2	34R-25422	193,00	2252,00
Rear	Size	CPD	Code	Euro	Sek/Nok
17"	165/55 R 17 NHS TL	K0	34R-27308	245,00	2851,00
	165/55 R 17 NHS TL	K1	34R-27309	245,00	2851,00
	165/55 R 17 NHS TL	K2	34R-27310	245,00	2851,00

K0 = Super Soft / K1 = Soft / K2 = Medium


METZELER racing expertise developed for Supermotard racing

- Tyre Technology at the service of line holding and drift control
- Versatility at its best: state-of-art technology compounds with a continuous focus on widening tyre operating range
- Dedicated lower profiles enhance agility and riding confidence
- Available also in 16,5" front tyres for increased contact feeling
- Rear tyre excels for self-cleaning following off-the-road sections thanks to unique radial grooves

FRONT SPECIFICATION CHOICE



REAR SPECIFICATION CHOICE




Note: Temperature scale refers to tyre operating temperature. Compound choice can vary depending on bike setup and riding style. Please check with your dealer or racing service.

RACING PRO RACETEC™ RR

Front	Size	CPD	Code	Euro	Sek/Nok
17"	120/70 ZR 17 M/C (58W) TL	K1	34R-25483	258,00	2935,00
	120/70 ZR 17 M/C (58W) TL	K2	34R-25484	258,00	2935,00
	120/70 ZR 17 M/C (58W) TL	K3	34R-25257	184,00	2095,00
18"	110/80 ZR 18 M/C (58W) TL	K1	34R-2854500	258,00	2935,00

Rear	Size	CPD	Code	Euro	Sek/Nok
17"	160/60 ZR 17 M/C (69W) TL	K2	34R-25485	294,00	3339,00
	160/60 ZR 17 M/C (69W) TL	K3	34R-25258	231,00	2625,00
	180/55 ZR 17 M/C (73W) TL	K2	34R-25486	309,00	3507,00
	180/55 ZR 17 M/C (73W) TL	K3	34R-25259	244,00	2772,00
	180/60 ZR 17 M/C (75W) TL	K1	34R-25487	333,00	3785,00
	180/60 ZR 17 M/C (75W) TL	K2	34R-25488	333,00	3785,00
	190/50 ZR 17 M/C (73W) TL	K3	34R-25260	257,00	2924,00
	190/55 ZR 17 M/C (75W) TL	K1	34R-3888100	263,00	2987,00
	190/55 ZR 17 M/C (75W) TL	K2	34R-3888200	263,00	2987,00
	190/55 ZR 17 M/C (75W) TL	K3	34R-25261	263,00	2987,00
18"	200/55 ZR 17 M/C (78W) TL	K1	34R-3888300	362,00	4090,00
	200/55 ZR 17 M/C (78W) TL	K2	34R-3888400	362,00	4090,00
	200/55 ZR 17 M/C (78W) TL	K3	34R-3888500	272,00	3077,00
	160/60 ZR 18 M/C (70W) TL	K1	34R-2854600	308,00	3502,00

K1 = Soft / K2 = Medium / K3 = Hard



Note: Temperature scale refers to tyre operating temperature. Compound choice can vary depending on bike setup and riding style.
Please check with your dealer or racing service.

Racetec™ TD SLICK

RACING PRO RACETEC™ TD SLICK

New!

Front	Size	CPD	Code	Euro	Sek/Nok
17"	120/70 R 17 NHS TL		34R-3895000	201,00	2273,00

Rear	Size	CPD	Code	Euro	Sek/Nok
17"	180/55 R 17 NHS TL		34R-3895100	230,00	2599,00
190/55 R 17 NHS TL			34R-3895200	238,00	2688,00
			34R-3895300	246,00	2783,00

Feel the RRace, feel the RRoad

- High-intensity adherence, agility and predictability at all stages thanks to racing profiles and state-of-the art technology compounds developed in road legal specifications

- Trajectory precision and superb high-speed stability developed over the toughest Road Races
- New K2 compound, designed to deliver remarkable performance consistency over multiple and diverse track sessions
- 18 inches sizes developed for classic racing
- K3 the endurance-oriented version of RACETEC™ RR treaded racing tyres, featuring dual compound rears for top lateral grip and extended duration



Leave no track unraced

- Plug&Play racing fun
- Quick warm-up makes turns tyre warmers into an option
- Reusable along several sessions thanks to high thermal stress and cold tearing resistance
- Reversible rear tyres to exploit the last patch of rubber





Tyres



POWER IS NOTHING WITHOUT CONTROL

SUPERSPORT

DIABLO™ SUPERCORSA SP

Front	Size	Code	Euro	Sek/Nok
17"	110/70 ZR 17 M/C 54W TL	53-3657000	175,00	1979,00
	120/70 ZR 17 M/C (58W) TL	53-2812600	185,00	2163,00
Rear	Size	Code	Euro	Sek/Nok
17"	140/70 ZR 17 M/C 66W TL	53-3657100	202,00	2284,00
	150/60 ZR 17 M/C 66W TL	53-3657200	210,00	2378,00
	180/55 ZR 17 M/C (73W) TL	53-3106800	249,00	2888,00
	180/60 ZR 17 M/C (75W) TL	53-3310500	254,00	2940,00
	190/50 ZR 17 M/C (73W) TL	53-3310600	261,00	3008,00
	190/55 ZR 17 M/C (75W) TL	53-3115100	266,00	3087,00
	200/55 ZR 17 M/C (78W) TL	53-3310700	281,00	3239,00
	200/55 ZR 17 M/C (78W) TL (E)	53-3751800	289,00	3266,00
	200/60 ZR 17 M/C (80W) TL	53-2812700	308,00	3575,00

E = Honda CBR 1000R SP '20

THE LATEST GENERATION OF STREET LEGAL RACING TYRE

- Racetrack performance delivered with a fully street legal tyre
- Patented tread design geometry for better response to the lateral forces and improved wear regularity
- New racing compound on the shoulder, developed in the FIM World Superbike Championship
- Bi-Compound rear to combine grip, stability and mileage



SUPERSPORT

DIABLO ROSSO™ CORSA II

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 M/C (58W) TL	53-2906900	167,00	1948,00
Rear	Size	Code	Euro	Sek/Nok
17"	160/60 ZR 17 M/C (69W) TL	53-2907000	210,00	2452,00
	180/55 ZR 17 M/C (73W) TL	53-2907100	221,00	2583,00
	180/60 ZR 17 M/C (75W) TL	53-2907200	250,00	2919,00
	190/50 ZR 17 M/C (73W) TL	53-2907300	231,00	2699,00
	190/55 ZR 17 M/C (75W) TL	53-2907400	238,00	2783,00
	200/55 ZR 17 M/C (78W) TL	53-2907500	227,00	2651,00
	200/60 ZR 17 M/C (80W) TL	53-3559500	258,00	3061,00

FOLLOW YOUR LEANINGS

- Pirelli first 3-zone compound front tyre and 5-zone compound rear tyre
- Designed to align tyre performance to the ever-enhancing power and electronics of modern-day motorcycles
- New flash tread design to optimise the contact patch for improved grip
- Improved handling from new profile and structure, derived from racing





DIABLO ROSSO™ III

ARE YOU READY FOR THE NEXT LEVEL?

- Pirelli technology from World Superbike Championship
- Unprecedented handling for a new generation of sporty behavior
- Bi-compound with wide side soft stripe offering full grip starting from mid lean angle
- Large footprint area for improved adherence



SPORT DIABLO ROSSO™ III

Front	Size	Code	Euro	Sek/Nok
17"	110/70 ZR 17 M/C 54W TL	53-26350	141,00	1649,00
	120/60 ZR 17 M/C (55W) TL	53-26351	142,00	1659,00
	120/70 ZR 17 M/C (58W) TL	53-26352	150,00	1748,00
	120/70 ZR 17 M/C (58W) TL (C)	53-3819700	169,00	1916,00
	120/70 ZR 17 M/C (58W) TL (D)	53-2807800	169,00	1916,00
	120/70 ZR 17 M/C (58W) TL (K)	53-3773200	169,00	1916,00

Rear	Size	Code	Euro	Sek/Nok
17"	130/70 R 17 M/C 62H TL	53-2854800	145,00	1643,00
	150/60 R 17 M/C 66H TL	53-2855100	174,00	1969,00
	150/60 ZR 17 M/C 66W TL	53-26353	194,00	2205,00
	160/60 ZR 17 M/C (69W) TL	53-26354	211,00	2399,00
	180/55 ZR 17 M/C (73W) TL	53-26355	223,00	2531,00
	180/60 ZR 17 M/C (75W) TL	53-26356	231,00	2625,00
	190/50 ZR 17 M/C (73W) TL	53-26357	234,00	2662,00
	190/55 ZR 17 M/C (75W) TL	53-26358	243,00	2762,00
	190/55 ZR 17 M/C (75W) TL (D)	53-3042900	243,00	2762,00
	200/55 ZR 17 M/C (78W) TL	53-26359	246,00	2793,00
	240/45 ZR 17 M/C (82W) TL	53-2717800	270,00	3071,00

C = Ducati Monster '20 / D (Fr.) = Monster All mod. / K = Kawasaki Ninja H2
D (Re.) = Ducati Monster 1200 17->

DIABLO ROSSO™ II

A GREAT SUPER SPORT TYRE FOR ROAD USE

- BI-Compound rear tyre combines long lasting mileage with excellent grip
- Pirelli Enhanced Patch Technology (EPT) optimises contact patch dimension depending on the lean angle for improved grip
- Functional Groove Design (FGD) offers race-like handling and greater control on wet surfaces



SPORT DIABLO ROSSO™ II

Front	Size	Code	Euro	Sek/Nok
17"	100/80 R 17 M/C 52H TL (R)	53-24092	113,00	1286,00
	110/70 R 17 M/C 54H TL	53-20725	109,00	1271,00
	110/70 ZR 17 M/C 54W TL	53-20699	120,00	1407,00
	120/60 R 17 M/C 55H TL	53-22103	110,00	1281,00
	120/60 ZR 17 M/C (55W) TL	53-20700	120,00	1407,00
	120/70 R 17 M/C 58H TL	53-22104	119,00	1381,00
	120/70 ZR 17 M/C (58W) TL	53-22919	132,00	1549,00

Rear	Size	Code	Euro	Sek/Nok
17"	130/70 R 17 M/C 62H TL (R)	53-24093	118,00	1344,00
	140/70 R 17 M/C 66H TL	53-20554	123,00	1439,00
	150/60 R 17 M/C 66H TL	53-22105	135,00	1586,00
	150/60 ZR 17 M/C 66W TL	53-20701	151,00	1759,00
	160/60 R 17 M/C 69H TL	53-22106	148,00	1727,00
	160/60 ZR 17 M/C (69W) TL	53-20702	165,00	1927,00
	170/60 ZR 17 M/C (72W) TL	53-20703	178,00	2074,00
	180/55 ZR 17 M/C (73W) TL	53-20685	174,00	2027,00
	190/50 ZR 17 M/C (73W) TL	53-20686	183,00	2126,00
	190/55 ZR 17 M/C (75W) TL	53-20687	187,00	2184,00
	200/50 ZR 17 M/C (75W) TL	53-23220	191,00	2242,00
	240/45 ZR 17 M/C (82W) TL	53-20724	209,00	2441,00

R = KTM e-SM

**SPORT
DIABLO™**

Front	Size	Code	Euro	Sek/Nok
17"	130/70 ZR 16 M/C (61W) TL	53-14296	93,00	1092,00
	120/70 ZR 17 M/C (58W) TL	53-14307	90,00	1071,00
Rear	160/60 ZR 17 M/C (69W) TL	53-14304	112,00	1339,00
	180/55 ZR 17 M/C (73W) TL	53-14300	118,00	1407,00
	190/50 ZR 17 M/C (73W) TL	53-14297	126,00	1470,00
18"	240/40 ZR 18 M/C (79W) TL	53-16826	143,00	1685,00

HIGH PERFORMANCE ROAD TYRE FOR SUPERSPORT BIKES

- Excellent value supersport tyre
- High traction and corner grip also in wet given thanks to the optimised tread pattern
- Enhanced bike control, high speed stability and quick warm up given by silica compound



**PHANTOM™
SPORTSCOMP**

**SPORT
PHANTOM™ SPORTSCOMP**

Front	Size	Code	Euro	Sek/Nok
17"	120/70 R 17 M/C 58V TL	53-15663	141,00	1638,00
18"	100/90 - 18 M/C 56H TL	53-3131000	132,00	1570,00
Rear	180/55 R 17 M/C 73V TL	53-15664	186,00	2174,00
	130/70 - 18 M/C 63H TL	53-3131100	147,00	1759,00

**A TYRE DESTINED FOR
CLASSIC SPORT MOTORCYCLES FOR ROAD USE**

- A "Classic" tread made with technology and compounds specific for medium-high performance bikes
- Good precision on entry into lean and easy handling on twisty roads
- Radial carcass structure with a steel belt at 0° for stability and a great feeling of control even on the most demanding surfaces





SPORT DEMON™

SPORT SPORT DEMON™



CITY AND LONGER DISTANCE SPORTY RIDING

- Conventional tyre for sporty medium displacement sport-touring bikes
- Light and precise handling with stable behavior in all riding conditions

Front	Size	Code	Euro	Sek/Nok
16"	100/90 - 16 M/C 54H TL	53-14031	108,00	1250,00
	110/70 - 16 M/C 52P TL	53-16225	64,00	761,00
	110/90 - 16 M/C 59V TL	53-13421	117,00	1370,00
	120/70 - 16 M/C 57P TL	53-16288	71,00	824,00
	120/80 V 16 M/C (60V) TL	53-14478	124,00	1460,00
17"	100/80 - 17 M/C 52H TL	53-2583900	108,00	1281,00
	110/70 - 17 M/C 54H TL	53-2589300	107,00	1271,00
	110/80 - 17 M/C 57H TL	53-13430	108,00	1250,00
	120/70 - 17 M/C 58H TL	53-15647	113,00	1328,00
18"	100/90 - 18 M/C 56H TL	53-14197	113,00	1328,00
	110/80 - 18 M/C 58V TL	53-14042	119,00	1381,00
	110/90 - 18 M/C 61V TL	53-14044	128,00	1496,00
19"	100/90 - 19 M/C 57V TL	53-14052	125,00	1470,00

Rear	Size	Code	Euro	Sek/Nok
15"	140/70 - 15 M/C 69P TL Reinf	53-16289	95,00	1113,00
16"	130/90 - 16 M/C 67V TL	53-14036	148,00	1717,00
	150/70 - 16 M/C 68S TL	53-16103	110,00	1281,00
	150/80 V 16 M/C (71V) TL	53-13423	151,00	1759,00
17"	130/70 - 17 M/C 62H TL	53-2589500	127,00	1517,00
	130/80 - 17 M/C 65H TL	53-13432	134,00	1570,00
	130/90 - 17 M/C 68V TL	53-14038	152,00	1785,00
	140/70 - 17 M/C 66H TL	53-2589600	139,00	1649,00
	140/80 VB 17 M/C (69V) TL	53-13426	169,00	1985,00
	150/70 - 17 M/C 69H TL	53-13433	141,00	1649,00
18"	110/80 - 18 M/C 58H TL	53-14043	125,00	1470,00
	110/90 - 18 M/C 61H TL	53-14045	134,00	1570,00
	120/80 - 18 M/C 62H TL	53-14046	129,00	1517,00
	120/90 - 18 M/C 65V TL	53-14047	148,00	1717,00
	130/70 - 18 M/C 63H TL	53-13434	127,00	1481,00
	130/80 - 18 M/C 66V TL	53-14048	139,00	1617,00
	140/70 - 18 M/C 67V TL	53-14050	142,00	1659,00

**SPORT TOURING
ANGEL™ GT II**

Front	Size	Code	Euro	Sek/Nok
17"	120/60 ZR 17 M/C (55W) TL	53-3111200	152,00	1748,00
	120/70 ZR 17 M/C (58W) TL	53-3111300	165,00	1927,00
	120/70 ZR 17 M/C (58W) TL (A)	53-3111400	173,00	1995,00
19"	120/70 R 19 M/C 60V TL	53-3111500	185,00	2142,00

Rear	Size	Code	Euro	Sek/Nok
17"	150/70 ZR 17 M/C (69W) TL	53-3111600	215,00	2483,00
	160/60 ZR 17 M/C (69W) TL	53-3111700	208,00	2394,00
	170/60 R 17 M/C 72V TL	53-3111800	216,00	2494,00
	170/60 ZR 17 M/C (72W) TL	53-3111900	224,00	2583,00
	180/55 ZR 17 M/C (73W) TL	53-3112000	218,00	2520,00
	180/55 ZR 17 M/C (73W) TL (A)	53-3112100	227,00	2630,00
	190/50 ZR 17 M/C (73W) TL (A)	53-3112300	238,00	2751,00
	190/50 ZR 17 M/C (73W) TL	53-3112200	230,00	2651,00
	190/55 ZR 17 M/C (75W) TL	53-3112400	235,00	2730,00
	190/55 ZR 17 M/C (75W) TL (A)	53-3112500	245,00	2830,00

A = Reinforced (2-Ply)

YOU DON'T NEED WINGS TO GO EVERYWHERE

- The evolution of the PIRELLI Angel™ GT further develops the PIRELLI Gran Turismo concept
- Top handling in line with Pirelli DNA added onto a new reference for mileage in Sport Touring tyres segment
- Outstanding wet behavior also thanks to a new innovative tread design coming from PIRELLI DIABLO™ racing tyres for wet conditions
- Dual Compound layout on rears



**SPORT TOURING
ANGEL™ GT**

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 M/C (58W) TL	53-23876	151,00	1759,00
	120/70 ZR 17 M/C (58W) TL (A)	53-24972	160,00	1874,00
18"	110/80 ZR 18 M/C (58W) TL	53-23171	170,00	1995,00
	120/70 ZR 18 M/C (59W) TL	53-23172	164,00	1927,00
19"	110/80 R 19 M/C 59V TL	53-24909	141,00	1638,00

Rear	Size	Code	Euro	Sek/Nok
17"	150/70 R 17 M/C 69V TL	53-24910	162,00	1895,00
18"	160/60 ZR 17 M/C (69W) TL	53-23174	193,00	2252,00
	170/60 ZR 17 M/C (72W) TL	53-23175	208,00	2431,00
	180/55 ZR 17 M/C (73W) TL	53-23176	202,00	2315,00
	180/55 ZR 17 M/C (73W) TL (A)	53-23212	212,00	2462,00
	190/50 ZR 17 M/C (73W) TL	53-23177	214,00	2494,00
	190/50 ZR 17 M/C (73W) TL (A)	53-23213	222,00	2583,00
	190/55 ZR 17 M/C (75W) TL	53-23178	219,00	2562,00
	190/55 ZR 17 M/C (75W) TL (A)	53-23616	228,00	2662,00
	190/55 ZR 17 M/C (75W) TL (D)	53-24000	219,00	2562,00
18"	160/60 ZR 18 M/C (70W) TL	53-23179	202,00	2363,00

A = Reinforced (2-Ply) / D = Ducati Multistrada GT

100% ITALIAN GRAN TURISMO

- The evolution of the ANGEL™ ST, stretching the concept of Sport Touring into Gran Turismo, bringing the sporty attitude to a wider range of usage conditions and for longer distances
- Excellency in wet performance and grip
- Top handling capabilities, typical of the Pirelli DNA
- Performance consistency until the end of tyre's life
- Bi-Compound rear





Tyres



THE NEW PIRELLI ANGEL™ GT II. YOU DON'T NEED WINGS TO GO EVERYWHERE.

Access the full potential of your machine thanks to a new level of handling, wet performance and outstanding lifespan in the sport touring segment. Discover more on pirelli.com



ANGEL™ GT II



POWER IS NOTHING WITHOUT CONTROL

**SPORT TOURING
ANGEL™ ST**

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 M/C (58W) TL	53-18684	105,00	1229,00

Rear	Size	Code	Euro	Sek/Nok
17"	160/60 ZR 17 M/C (69W) TL	53-18688	130,00	1559,00
	180/55 ZR 17 M/C (73W) TL	53-18685	140,00	1559,00
	190/50 ZR 17 M/C (73W) TL	53-18687	160,00	1827,00
	190/55 ZR 17 M/C (75W) TL	53-3865700	164,00	1859,00

THE TYRE WITH A DOUBLE SOUL

- Sport touring compound: safety feeling on wet / cold conditions without compromising dry grip
- Tread design guarantees mileage while maintaining an appealing look
- Visual appearance of the tread changes in the first stage of tyre life to reflect the double soul of the product
- Front and rear profile tailored for sport touring bikes: neutral and smooth handling in all maneuvers



**SPORT TOURING
ANGEL CiTy**

Front	Size	Code	Euro	Sek/Nok
17"	70/90 - 17 M/C 38S TL	53-26270	55,00	646,00
	80/100 - 17 M/C 46S TL	53-25807	61,00	714,00
	100/80 - 17 M/C 52S TL	53-25808	65,00	782,00

Front/Rear	Size	Code	Euro	Sek/Nok
17"	80/90 - 17 M/C 44S TL	53-25806	59,00	714,00
	90/80 - 17 M/C 46S TL	53-25804	63,00	735,00
	110/70 - 17 M/C 54S TL	53-27022	61,00	725,00
	120/70 - 17 M/C 58S TL	53-25805	72,00	835,00

Rear	Size	Code	Euro	Sek/Nok
14"	100/80 - 14 M/C 54S TL Reinf	53-26905	36,00	415,00
17"	80/90 - 17 M/C 44S TL	53-26271	58,00	672,00
	100/70 - 17 M/C 49S TL	53-2902700	67,00	803,00
	100/80 - 17 M/C 52S TL	53-25809	65,00	782,00
	100/90 - 17 M/C 55S TL	53-25810	70,00	814,00
	130/70 - 17 M/C 62S TL	53-3243400	73,00	872,00
	140/70 - 17 M/C 66S TL	53-3566600	87,00	1029,00
	150/60 - 17 M/C 66S TL	53-26906	99,00	1129,00

THE ANGEL™ CITY IS DIRECTLY DERIVED FROM THE WELL-KNOWN AND TEST WINNER ANGEL™ GT

- The tyre for the needs of sporty bikes up to 250cc, 'underbones' and other commuting bikes
- Robust tyre construction ensures high puncture resistance and performance consistency throughout the entire tyre life
- The benefits are clearly perceived in any riding condition, especially on uneven road
- The tread pattern and a new compound guarantees an excellent grip on both dry and wet, tear resistance and mileage





NIGHT DRAGON™

CRUISER & TOURERS NIGHT DRAGON™

THE CUSTOM CRUISING TYRE WITH THE PIRELLI SPORTY FEELING

- Constructed to fit both V-Twin and metric cruiser bikes
- Dedicated to those riders looking for products with improved grip, stability and handling also in wet conditions
- Offers first in class riding emotion, together with an impressive performance consistency throughout the entire tyre life
- GT version available on selected rear sizes, with new compound for improved mileage



Front	Size	Code	Euro	Sek/Nok
16"	130/90 B 16 M/C 67H TL	53-22115	153,00	1796,00
	130/90 B 16 M/C 73H TL Reinf	53-22116	212,00	2462,00
	150/80 B 16 M/C 71H TL	53-18154	196,00	2294,00
	MT90 B 16 M/C 72H TL	53-17705	171,00	2006,00
17"	130/80 B 17 MC 65H TL	53-22114	144,00	1670,00
	140/80 - 17 M/C 69H TL	53-22117	173,00	2006,00
18"	130/70 B 18 M/C 63H TL	53-22112	144,00	1670,00
	130/70 R 18 M/C 63V TL	53-22113	156,00	1817,00
	140/70 - 18 M/C 73H TL Reinf	53-17727	176,00	2053,00
19"	100/90 - 19 M/C 57H TL	53-3745400	153,00	1727,00
	110/90 - 19 M/C 62H TL	53-22110	148,00	1727,00
	120/70 ZR 19 M/C (60W) TL	53-18148	212,00	2473,00
21"	130/60 B 19 M/C 61H TL	53-2812100	236,00	2751,00
	90/90 - 21 M/C 54H TL	53-18153	132,00	1549,00
	120/70 B 21 M/C 68H TL Reinf	53-22111	216,00	2520,00
23"	MH90 - 21 M/C 54H TL	53-17704	141,00	1638,00
	130/60 B 23 M/C 65H TL	53-24688	190,00	2216,00

Rear	Size	Code	Euro	Sek/Nok
15"	170/80 B 15 M/C 77H TL GT	53-25925	203,00	3229,00
	180/70 B 15 M/C 76H TL	53-18155	180,00	2105,00
	200/70 B 15 M/C 82H TL	53-18156	197,00	2305,00
16"	130/90 B 16 M/C 73H TL Reinf GT	53-2902500	194,00	2263,00
	150/80 B 16 M/C 77H TL Reinf GT	53-25926	200,00	2331,00
	180/60 R 16 M/C 80H TL Reinf GT	53-2595700	250,00	2987,00
	180/65 B 16 M/C 81H TL Reinf GT	53-25927	231,00	2699,00
	180/70 R 16 M/C 77H TL	53-22123	237,00	2772,00
	MU85 B 16 M/C 77H TL GT	53-2592800	227,00	2651,00
	MT90 B 16 M/C 74H TL GT	53-2812300	216,00	2520,00
17"	160/70 B 17 M/C 79V TL Reinf GT	53-2902400	210,00	2452,00
	170/60 R 17 M/C 78V TL Reinf	53-22120	255,00	2977,00
	180/60 B 17 M/C 75V TL	53-22121	203,00	2384,00
	180/60 B 17 M/C 81H TL Reinf	53-17730	203,00	2384,00
	200/55 R 17 M/C 78V TL GT	53-2595600	278,00	3239,00
	150/70 B 18 M/C 76H TL Reinf	53-17729	240,00	2809,00
	180/55 ZR 18 M/C (74W) TL	53-18151	266,00	3108,00
18"	180/55 B 18 M/C 80H TL Reinf GT	53-2812200	257,00	3008,00
	200/50 R 18 M/C 82H TL Reinf GT	53-3440600	375,00	4468,00
	240/40 VR 18 M/C (79V) TL	53-18623	278,00	3239,00

GT = New compound for improved mileage



CRUISER & TOURERS
ROUTE MT 66™

Front	Size	Code	Euro	Sek/Nok
16"	130/90 - 16 67H TL	53-08006	163,00	1906,00
	150/80 - 16 71H TL	53-08007	165,00	1927,00
17"	120/90 - 17 M/C 64S	53-10164	120,00	1407,00
	3.00 - 18 M/C 47S	53-10035	102,00	1192,00
18"	100/90 - 18 M/C 56H TL	53-10039	143,00	1670,00
	100/90 - 19 M/C 57H TL	53-3745600	168,00	1895,00
19"	90/90 - 19 52H TL	53-08009	143,00	1670,00
	100/90 - 19 M/C 57S	53-3745500	122,00	1381,00
21"	110/90 - 19 M/C 62H TL	53-07608	154,00	1796,00
	80/90 - 21 48H	53-08011	101,00	1181,00

Rear	Size	Code	Euro	Sek/Nok
15"	130/90 - 15 M/C 66S	53-10033	134,00	1570,00
	140/90 - 15 M/C 70H TL	53-08002	155,00	1806,00
	150/90 - 15 M/C 74H TL	53-08003	178,00	2074,00
	170/80 - 15 M/C 77H TL	53-07609	187,00	2184,00
	170/80 - 15 M/C 77S TT	53-10034	149,00	1785,00
	180/70 - 15 M/C 76H TL	53-09290	179,00	2084,00
16"	130/90 - 16 73H TL Reinf	53-08004	184,00	2142,00
	140/90 - 16 71H TL	53-08519	186,00	2174,00
	150/80 - 16 M/C 71H TL	53-08005	183,00	2126,00
	120/90 - 18 M/C 65H TL	53-10041	176,00	2053,00

COVER THE DISTANCE, OWN THE ROAD

- The perfect tyre for any old school custom application
- Lightweight and high riding comfort thanks to the optimised carcass materials
- High mileage and wet performance given by high tread depth
- Tread design with directional front grooves and big central blocks for straight stability



URBAN
CITY DEMON™

Front	Size	Code	Euro	Sek/Nok
17"	2.25 - 17 M/C 38P Reinf	53-11029	27,00	326,00
18"	90/90 - 18 M/C 51H	53-14193	77,00	903,00
19"	90/90 - 19 M/C 52S	53-13413	57,00	672,00

Rear	Size	Code	Euro	Sek/Nok
15"	130/90 - 15 M/C 66S TL	53-15456	91,00	1061,00
16"	120/90 - 16 M/C 63S TL	53-15457	86,00	1013,00
	130/90 - 16 M/C 67S	53-13408	89,00	1050,00
18"	3.25 - 18 M/C 52S	53-13409	76,00	882,00

**CARVE THROUGH
THE CITY**

- Tread pattern designed to ensure optimum mileage and even wear
- Front tyre with central groove for straight stability and wet performance
- Stiff carcass for high durability and wide range of usage on small displacement bikes



URBAN
MANDRAKE™ MT 15

New!

Rear	Size	Code	Euro	Sek/Nok
14"	110/80 - 14 M/C 59J TL Reinf	53-2588200	37,00	425,00

A TOURING TYRE FOR THE CITY

- Conventional tyre for moto and scooters 14" to 16"
- Central grooves for good feedback and wet performance
- Classic design tread pattern with low section profile and stiff carcass



Tyres



SCORPION™ TRAIL II



A NEW PATH FOR ADVENTURE

- Aggressive off road look
- Sport touring and enduro performance blended into one product
- Bi-Compound rear
- Increased mileage
- Top level handling throughout the entire life
- Improved wet performance

ENDURO STREET

SCORPION™ TRAIL II

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 M/C (58W) TL	53-25263	157,00	1838,00
18"	100/90 - 18 M/C 56V TL	53-25266	109,00	1271,00
19"	100/90 - 19 M/C 57V TL	53-25267	134,00	1570,00
	110/80 R 19 M/C 59V TL	53-25265	135,00	1586,00
	120/70 R 19 M/C 60V TL	53-28028	132,00	1538,00
	120/70 ZR 19 M/C 60W TL (D)	53-27467	137,00	1596,00
21"	90/90 - 21 M/C 54V TL	53-25268	122,00	1428,00

Rear	Size	Code	Euro	Sek/Nok
17"	130/80 R 17 M/C 65V TL	53-25269	152,00	1775,00
	140/80 R 17 M/C 69V TL	53-25270	173,00	2006,00
	150/70 R 17 M/C 69V TL	53-25271	168,00	1964,00
	160/60 ZR 17 M/C (69W) TL	53-25272	151,00	1759,00
	170/60 R 17 M/C 72V TL	53-28029	168,00	1964,00
	170/60 ZR 17 M/C 72W TL (D)	53-27468	177,00	2053,00
	170/60 ZR 17 M/C 72W TL (K)	53-28031	185,00	2063,00
	180/55 ZR 17 M/C (73W) TL	53-25274	227,00	2651,00
	190/55 ZR 17 M/C (75W) TL	53-25275	234,00	2730,00
18"	150/70 R 18 M/C 70V TL	53-28032	156,00	2483,00

D = Ducati Multistrada 1200 Enduro

K = KTM Super Adventure 1290, Adventure 1190

SCORPION™ TRAIL

TRAIL



OFF-ROAD LOOK WITH SPORTY PERFORMANCE

- Patented 0° steel belt technology in radial sizes provides maximum stability and excellent handling on every kind of terrain even when fully loaded
- The ideal balance between mileage and grip

ENDURO STREET

SCORPION™ TRAIL

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 M/C (58W) TL (E)	53-23997	142,00	1490,00
	90/90 - 21 M/C 54S TT	53-17265	93,00	1092,00

Rear	Size	Code	Euro	Sek/Nok
17"	120/90 - 17 M/C 64S TT	53-17267	102,00	1192,00
	130/80 - 17 M/C 65S TT	53-17269	115,00	1339,00
	160/60 ZR 17 M/C (69W) TL	53-23998	141,00	1638,00

E = Honda CB500X



PIRELLI

ENDURO ON/OFF

MT60™ RS

Front	Size	Code	Euro	Sek/Nok
16"	130/90 B 16 M/C 67H TL	53-2925100	95,00	1103,00
17"	120/70 ZR 17 M/C (58W) TL	53-26360	149,00	1738,00
18"	110/80 R 18 M/C 58H TL	53-24025	160,00	1874,00
	120/70 ZR 18 M/C (59W) TL	53-2864500	164,00	1927,00
Rear	Size	Code	Euro	Sek/Nok
16"	150/80 B16 M/C 77H TL Reinf	53-2925200	122,00	1418,00
17"	160/60 R 17 M/C 69H TL	53-25040	180,00	2105,00
	180/55 R 17 M/C 73H TL	53-25041	191,00	2226,00
	180/55 ZR 17 M/C (73W) TL	53-2636100	196,00	2284,00

ON OR OFF ROAD?

PURE ADRENALINE

- Radial light knobby tyre for impressive road performance
- Optimised tread pattern design for street use also on wet
- Cornering grip pleasure thanks to a dedicated compound



ENDURO ON/OFF

MT60™

Front	Size	Code	Euro	Sek/Nok
19"	100/90 - 19 M/C 57H TL	53-02822	131,00	1538,00
21"	90/90 - 21 M/C 54H TL	53-02818	120,00	1391,00
Rear	Size	Code	Euro	Sek/Nok
17"	110/90 - 17 M/C 60P	53-09980	91,00	1013,00
	120/90 - 17 M/C 64S	53-09475	105,00	1260,00
	130/80 - 17 M/C 65H TL	53-02840	148,00	1727,00
	140/80 - 17 M/C 69H TL	53-02819	168,00	1974,00

ON OR OFF ROAD?

JUST HAVE FUN

- Renowned knobby tread pattern for street oriented performance on dual purpose bikes
- Modern bias construction for comfort and stability
- Special on-off block design for more grip and traction on all surfaces and in all weather conditions

**SCORPION™** **RALLY STR**

ENDURO ON / OFF

SCORPION™ RALLY STR

Front	Size	Code	Euro	Sek/Nok
17"	110/70 R 17 M/C 54H M+S TL	53-2808100	118,00	1370,00
	120/70 R 17 M/C 58H M+S TL	53-2919800	126,00	1470,00
	120/70 R 17 M/C 58V M+S TL	53-3246500	124,00	1449,00
18"	110/80 R 18 M/C 58V M+S TL	53-3838800	138,00	1559,00
	120/70 R 18 M/C 59V M+S TL	53-3114900	128,00	1507,00
19"	100/90 - 19 M/C 57V M+S TL	53-2865300	139,00	1659,00
	110/80 R 19 M/C 59V M+S TL	53-28651	124,00	1460,00
	120/70 R 19 M/C 60V M+S TL	53-28036	132,00	1549,00
21"	90/90 - 21 M/C 54V M+S TL	53-28034	113,00	1318,00
	90/90 - 21 M/C 54V M+S TL (A)	53-3849300	124,00	1402,00
Rear	Size	Code	Euro	Sek/Nok
15"	160/60 R 15 M/C 67H M+S TL	53-2919900	135,00	1586,00
17"	130/80 R 17 M/C 65V M+S TL	53-2865400	158,00	1885,00
	140/80 R 17 M/C 69V M+S TL	53-2865500	140,00	1628,00
	150/60 R 17 M/C 66H M+S TL	53-28082	148,50	1691,00
	150/70 R 17 M/C 69V M+S TL	53-28652	140,00	1628,00
	170/60 R 17 M/C 72V M+S TL	53-28037	168,00	1964,00
	180/55 R 17 M/C 73V M+S TL	53-3115000	202,00	2363,00
18"	150/70 R 18 M/C 70V M+S TL	53-28035	144,00	1670,00

THE KNOBBLY ENDURO ON/OFF TYRE FOR ADVENTURE WITHOUT LIMITS

- Technological innovations provide traction on dirt, stability at high speeds, on-road handling agility and grip in all riding conditions
- A new compound, with a high content of silica, offers increased grip on both dry and wet surfaces, stability and a superior resistance to abrasion
- Increased width and length of the tyre's contour makes a larger contact patch for better stability
- Blocks are longer and wider, and the longitudinal distance between each line of knobs has been reduced to increase the contact patch, without compromising off-road traction
- Heat, generated by high speed, is distributed across a wider surface to prevent knob tearing



M+S = Mud + Snow

Tyres



**SCORPION™****MT 90 A/T****FOR ENDURO ROAD RACES
WITH ALL ENGINE SIZES**

- Flexibility of use on asphalt roads and on rough ground, with high levels of road holding and safety on all types of surface
- Tread with large central blocks for a more stable ride and V arrangement for the maximum grip in traction and braking
- Optimised carcass for best stability at high speeds even at full load
- Compound with balanced silica content capable of ensuring high mileage and better grip on both dry and wet surfaces

**ENDURO ON/OFF
SCORPION™ MT 90 A/T**

Front	Size	Code	Euro	Sek/Nok
21"	80/90 - 21 M/C 48S	53-10051	93,00	1092,00
	90/90 - 21 M/C 54S	53-10052	100,00	1171,00
	90/90 - 21 M/C 54V TL	53-14175	143,00	1670,00

Rear	Size	Code	Euro	Sek/Nok
17"	120/90 - 17 M/C 64S	53-10043	137,00	1607,00
18"	140/80 - 18 M/C 70S	53-10171	148,00	1717,00

Tyres



RALLY

SCORPION™ RALLY

Front	Size	Code	Euro	Sek/Nok
19"	110/80 - 19 M/C 59R M+S TL	53-20682	121,00	1418,00
	120/70 R 19 M/C 60T M+S TL	53-24392	124,00	1449,00
21"	90/90 - 21 M/C 54R MST	53-17453	110,00	1281,00

Rear	Size	Code	Euro	Sek/Nok
17"	150/70 - 17 M/C 69R M+S TL	53-20683	165,00	1927,00
	170/60 R 17 M/C 72T M+S TL	53-24396	169,00	1985,00
18"	140/80 - 18 M/C 70R MST	53-16887	160,00	1874,00

KING OF THE DESERT

- Thanks to the Advanced Mixing Process, the compounds implement innovative materials that provide high fatigue resistance and long lasting performance
- The front block layout is specifically designed to give directional stability and lead the rider on the straightest path to victory
- The rear blocks are designed to provide traction on all type of terrains encountered in the most demanding rallies
- The innovative structure grants outstanding performance and high resistance to puncture
- Available in sizes specifically designed for desert races



RALLY

MT 21™ RALLYCROSS

Front	Size	Code	Euro	Sek/Nok
21"	80/90 - 21 M/C 48P	53-03414	64,00	751,00
	90/90 - 21 M/C 54R MST	53-3745900	83,00	940,00

Rear	Size	Code	Euro	Sek/Nok
17"	120/90 - 17 M/C 64R	53-03423	109,00	1271,00
	130/90 - 17 M/C 68P	53-06978	107,00	1250,00
18"	110/80 - 18 M/C 58P	53-03415	83,00	971,00
	120/80 - 18 M/C 62R	53-03420	116,00	1250,00
	120/90 - 18 M/C 65R	53-03424	125,00	1418,00
	130/90 - 18 M/C 69R	53-06979	130,00	1481,00
	140/80 - 18 M/C 70R	53-03410	128,00	1449,00

TURN OFF THE ROAD AND GO WHEREVER YOU WANT

- High stability and cornering precision thanks to carcass stiffness
- Tread pattern optimised for use on dirt and gravel roads, cross-country racing and desert tours
- Long lasting off-road performance and block tearing resistance thanks to special off-road compound



ENDURO COMPETITION

SCORPION™ PRO F.I.M.

Front	Size	Code	Euro	Sek/Nok
21"	90/90 - 21 M/C 54R M+S	53-3286000	71,00	798,00
18"	120/90 - 18 M/C 65M M+S	53-23222	103,00	1171,00
	140/80 - 18 M/C 70M M+S Soft	53-3107600	108,00	1234,00
	140/80 - 18 M/C 70R M+S	53-3286300	103,00	1171,00
	140/80 - 18 NHS 70M SuperSoft	53-3107700	116,00	1313,00

DEDICATED TO ENDURO

- Improved materials for resistance to tearing, cuts, abrasion and wear
- Balanced strength and softness construction
- Optimised distribution and geometry of pattern's blocks for improved traction and braking
- F.I.M. homologated





OUTSTANDING PERFORMANCE IN EXTREME SOFT CONDITIONS

- The rear tyre developed with MXGP champions, specifically designed for demanding racing in mud, sand, or clay dirt.
- Tall, thick turbine-shaped knobs featuring wide space in between for excellent self-cleaning in deep, bottomless sand or mud.
- New rubber recipe with innovative resistance to knob tearing, impact and abrasion for great duration.
- Side knobs for excellent grip at extreme lean angles.

MOTOCROSS SCORPION™ MX SOFT

MUD AND SAND

Rear	Size	Code	Euro	Sek/Nok
12"	80/100 - 12 NHS 50M	53-3659100	66,00	740,00
16"	90/100 - 16 NHS 51M	53-2901400	70,00	814,00
19"	100/90 - 19 NHS 57M Mud&Sand	53-2901500	84,00	982,00
19"	110/90 - 19 NHS 62M	53-3256900	96,00	1082,00



THE WINNING TYRE OF MX WORLD CHAMPIONSHIP

- Best performance from soft to medium terrain
- Developed with the contribution of the most prestigious players in MX competitions
- Excellent traction to guarantee the maximum power transmission to the ground
- Block arrangement optimised to improve braking stability and cornering side-grip
- Front lateral knobs guarantee greater line-holding and precision in corners

MOTOCROSS SCORPION™ MX32™ MID SOFT

Front	Size	Code	Euro	Sek/Nok
10"	2.50 - 10 NHS 33J	53-16639	34,00	404,00
12"	60/100 - 12 NHS 36M	53-16640	40,00	457,00
14"	60/100 - 14 NHS 29M	53-16641	41,00	473,00
17"	70/100 - 17 NHS 40M	53-16642	51,00	593,00
19"	70/100 - 19 NHS 42M	53-3252600	58,00	672,00
21"	80/100 - 21 M/C 51M MST	53-2588300	68,00	803,00
	90/100 - 21 M/C 57M MST	53-17499	74,00	861,00

Rear	Size	Code	Euro	Sek/Nok
10"	2.75 - 10 NHS 37J	53-16644	54,00	635,00
12"	80/100 - 12 NHS 50M	53-16645	60,00	714,00
14"	90/100 - 14 NHS 49M	53-16646	66,00	782,00
16"	90/100 - 16 NHS 51M	53-3252700	72,00	835,00
19"	100/90 - 19 NHS 57M	53-25884	86,00	961,00
	110/90 - 19 NHS 62M	53-25885	89,00	992,00
	120/80 - 19 NHS 63M	53-3107500	93,00	1092,00
	120/90 - 19 NHS 66M	53-16628	95,00	1113,00

MST = Multi Service Tyre

MOTOCROSS SCORPION™ MX32™ MID HARD

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 M/C 51M MST	53-29010	68,00	793,00
	90/100 - 21 M/C 57M MST	53-29011	74,00	861,00
Rear	Size	Code	Euro	Sek/Nok
19"	100/90 - 19 NHS 57M	53-3107400	86,00	1013,00
	110/90 - 19 NHS 62M	53-3842700	99,00	1124,00
	120/80 - 19 NHS 63M	53-29013	92,00	1082,00

MST = Multi Service Tyre

CHOICE OF CHAMPIONS FOR THE BEST PERFORMANCES ON MID-HARD TO HARD TERRAINS

- Larger block size increasing contact patch and improving durability on MidSoft to MidHard soil types
- Modified side blocks featuring "dimples" optimizing lean angle grip and stability
- Casing depressions including "Scorpion mark" to increase plant and ride comfort
- Tread spacing and crown radius profile to broaden the range usage
- Developed with MX GP and AMA Supercross race winning top professionals in Motocross & Supercross





OPTIMAL CHOICE FOR PROFESSIONAL TRAINING PURPOSES ON ALL TERRAINS

- Grip and traction on a wide range of terrain (from mid soft to mid hard)
- Perfect application for training
- Optimal compromise between performance and durability

MOTOCROSS SCORPION™ MX EXTRA X

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 M/C 51M MST	53-2588600	56,00	662,00
Rear	100/100 - 18 NHS 59M	53-21331	73,00	851,00
	110/100 - 18 NHS 64M	53-2589900	78,00	914,00
	120/100 - 18 NHS 68M	53-2590000	83,00	971,00
19"	100/90 - 19 NHS 57M	53-2588700	73,00	851,00
	110/90 - 19 NHS 62M	53-2588800	78,00	914,00
	120/90 - 19 NHS 66M	53-21336	83,00	971,00

MST = Multi Service Tyre



DEDICATED TO MINICROSS RIDERS, THEIR TRAININGS AND TRACK DAYS

- Traction and grip in changing conditions terrains
- High durability with consistency of performance
- Perfect application for training

MOTOCROSS SCORPION™ MX EXTRA J

Front	Size	Code	Euro	Sek/Nok
10"	2.50 - 10 NHS 33J	53-3842900	28,00	320,00
14"	60/100 - 14 NHS 29M	53-21343	31,00	368,00
17"	70/100 - 17 NHS 40M	53-21344	40,00	457,00
19"	70/100 - 19 NHS 42M	53-3843100	49,00	557,00

Rear	Size	Code	Euro	Sek/Nok
10"	2.75 - 10 NHS 37J	53-21338	42,00	483,00
12"	80/100 - 12 NHS 50M	53-21339	54,00	635,00
14"	90/100 - 14 NHS 49M	53-21340	55,00	646,00
17"	110/90 - 17 NHS 60M	53-21347	64,00	751,00

MX				
FRONT	MX32™ MID SOFT			
REAR	MX SOFT	MX32™ MID SOFT		MX32™ MID HARD
TRAINING		MX EXTRA X		
XC		MX EXTRA J		
	XC MID SOFT		XC MID HARD	
	SOFT	MID SOFT	MID HARD	HARD

CROSS COUNTRY

SCORPION™ XC MID SOFT

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 M/C 51R MST	53-3888600	66,00	740,00
Rear	Size	Code	Euro	Sek/Nok
18"	110/100 - 18 NHS 64M	53-3556600	86,00	966,00
	120/100 - 18 NHS 68M	53-3556700	93,00	1045,00

WINNING CROSS-COUNTRY TYRE IN MID SOFT CONDITIONS

- High Module Low Shrinkage polyester carcass for regular and large footprint area to maximize traction and braking
- Optimised steering precision and traction provided by the small hard blocks on the front
- Racing compound for a high performance level for the entire race, regardless of conditions



SCORPION™ XC MID HARD

CROSS COUNTRY

SCORPION™ XC MID HARD

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 NHS 51R	53-3107800	66,00	746,00
Rear	Size	Code	Euro	Sek/Nok
18"	110/100 - 18 M/C 64M MST	53-19422	78,00	914,00
	140/80 - 18 M/C 70M M+S	53-18046	83,00	971,00

M+S = Mud + Snow / MST = Multi Service Tyre

ULTIMATE CROSS-COUNTRY TYRE FOR MEDIUM TO HARD TERRAIN

- High stability, cornering precision and good puncture resistance thanks to carcass stiffness
- Long lasting off-road performance and block tearing resistance provided by special off- road compound
- Blocks layout optimized to increase the number of blocks on contact area and the quantity of working edges for maximum grip and traction
- Heavy duty and DOT homologated



CROSS COUNTRY

MT 16™ GARACROSS

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 M/C 51R MST	53-14185	54,00	635,00
Rear	Size	Code	Euro	Sek/Nok
18"	110/100 - 18 NHS	53-14187	71,00	824,00
	120/100 - 18 NHS	53-14186	75,00	872,00

ALL-AROUND OFF-ROAD TIRE WITH GREAT DURABILITY

- High level of grip
- Traction and grip in changing conditions terrains





THE GUARDIAN ANGEL FOR URBAN MOBILITY EXCELLENT COMFORT, TOP WET PERFORMANCE AND HANDLING FOR THE URBAN JUNGLE.

- High comfort thanks to the combined action of stiff structures and tread pattern design
- New compound with a high percentage of silica for top wet performance
- Dynamic urban handling thanks to the new multi radius contour allowing quicker change of direction



**SCOOTER
ANGEL™ SCOOTER**

Front	Size	Code	Euro	Sek/Nok
12"	120/70 - 12 51S TL	53-2769800	76,00	950,00
13"	110/70 - 13 M/C 48S TL	53-3078300	79,00	992,00
	110/90 - 13 M/C 56P TL	53-2770000	82,00	1029,00
	120/70 - 13 M/C 53P TL	53-2770100	80,00	1003,00
14"	80/80 - 14 M/C 43S TL Reinf	53-2925700	51,00	646,00
15"	120/70 - 15 M/C 56S TL	53-2770500	98,00	1229,00
16"	100/80 - 16 M/C 50P TL	53-2770600	82,00	1029,00

Front / Rear	Size	Code	Euro	Sek/Nok
10"	3.00 - 10 50J TL Reinf	53-2903200	55,00	693,00
	3.50 - 10 59J TL Reinf	53-2903000	60,00	751,00
	80/90 - 10 44J TL	53-2903400	50,00	635,00
	80/100 - 10 46J TL	53-2903300	53,00	672,00
	90/90 - 10 50J TL	53-2902900	65,00	824,00
	100/90 - 10 56J TL	53-2903100	62,00	782,00
11"	110/70 - 11 45L TL	53-2924900	59,00	735,00
	120/70 - 11 56L TL Reinf	53-2925000	57,00	714,00
12"	110/70 - 12 47P TL	53-2769500	67,00	851,00
	110/90 - 12 64P TL	53-2769600	82,00	1029,00
	130/70 - 12 62P TL Reinf	53-2771000	78,00	982,00
13"	130/60 - 13 M/C 60P TL Reinf	53-2771400	83,00	1050,00
14"	90/80 - 14 M/C 49S TL	53-2770200	56,00	704,00
	100/80 - 14 M/C 54S TL Reinf	53-2902300	61,00	772,00
	120/70 - 14 M/C 55P TL	53-2770300	89,00	1129,00
16"	90/80 - 16 M/C 51S TL Reinf	53-2902200	91,00	1150,00
	110/70 - 16 M/C 52P TL	53-2770700	94,00	1171,00

Rear	Size	Code	Euro	Sek/Nok
12"	120/70 - 12 58P TL Reinf	53-2770900	73,00	924,00
	140/70 - 12 65P TL Reinf	53-2771100	84,00	1061,00
13"	130/70 - 13 M/C 63P TL Reinf	53-2771200	84,00	1061,00
	140/60 - 13 M/C 63P TL Reinf	53-2771300	90,00	1139,00
	140/70 - 13 M/C 61P TL	53-2902100	90,00	1139,00
	150/70 - 13 M/C 64S TL	53-3107300	105,00	1318,00
14"	110/70 - 14 M/C 56S TL Reinf	53-2925600	90,00	1139,00
	110/80 - 14 M/C 59S TL Reinf	53-2902800	95,00	1181,00
	120/80 - 14 M/C 58P TL	53-2864000	94,00	1171,00
	140/60 - 14 M/C 64S TL Reinf	53-2854300	113,00	1418,00
	140/70 - 14 M/C 68S TL Reinf	53-2771700	116,00	1460,00
	150/70 - 14 M/C 66S TL	53-2771900	119,00	1507,00
15"	130/80 - 15 M/C 63S TL	53-2854400	100,00	1260,00
16"	120/80 - 16 M/C 60P TL	53-2772000	97,00	1218,00
	130/70 - 16 M/C 61P TL	53-2772100	124,00	1559,00
	130/80 - 16 M/CT64P TL	53-2772300	108,00	1360,00
	140/70 - 16 M/C 65P TL	53-2772400	116,00	1460,00



**SCOOTER
SC 30**

Front / Rear	Size	Code	Euro	Sek/Nok
10"	3.00 - 10 42J	53-04019	39,00	446,00

**COMMUTING TYRE FOR
SCOOTERS**

- Classic designed tread pattern with low section profile and stiff carcass
- Updated Specifications for enhanced handling



**SCOOTER
SL 38™ UNICO**

Front / Rear	Size	Code	Euro	Sek/Nok
10"	120/70 - 10 54L TL Reinf	53-25838	50,00	614,00

**SPORT-TOURING TREAD
PATTERN FOR SCOOTERS WITH
10" WHEELS**

- Classic design tread pattern with low section profile and stiff carcass
- Large tread blocks for wet performance, even wear and mileage



**SCOOTER
SL 26™**

Front / Rear	Size	Code	Euro	Sek/Nok
12"	130/70 - 12 56L TL	53-07369	58,00	683,00

**SPORT-TOURING TREAD
PATTERN FOR SCOOTERS WITH
10" TO 13" WHEELS**

- Big grooves and blocks in the tread pattern give good wet performances and assure riding comfort, high mileage and even wear



**SCOOTER
SL 60™**

Front / Rear	Size	Code	Euro	Sek/Nok
10"	130/90 - 10 61J TL	53-05508	58,00	646,00
12"	120/80 - 12 55J TL	53-08000	55,00	704,00
	130/80 - 12 60J TL	53-08001	58,00	772,00

**ON/OFF TREAD PATTERN FOR
SCOOTERS WITH 10" AND 12"
WHEELS**

- Low section profile and stiff carcass
- Large tread blocks for more grip on all surfaces and wet performance



**SCOOTER
SL 90™**

Rear	Size	Code	Euro	Sek/Nok
10"	150/80 - 10 65L TL	53-14717	70,00	803,00

**DUAL PURPOSE TREAD
PATTERN FOR 10" SIZES**

- Big central knobs of the rear tread pattern for riding comfort, high mileage and even wear



Tyres



**YOUR LAP-TIME IS
THEIR GOAL**


- State-of-the-art technology in SC compound for ultimate performance on track
- State-of-the-art technology in the updated profiles designed for outstanding handling, benefiting also from the latest FIM Superbike World Championship size range
- Extended range including the following updates:
- New SCX compound, extra-soft rear for Superpole® Race
- New SC3 compound, designed to deliver remarkable performance consistency over multiple and diverse track sessions

**RACING
DIABLO™ SUPERBIKE**


Front	Size	CPD	Code	Euro	Sek/Nok
17"	100/70 R 17 NHS TL	SC1	53R-22426	201,00	2352,00
	110/70 R 17 NHS TL	SC1	53R-3107000	225,00	2672,00
	120/70 R 17 NHS TL	SC1	53R-23329	267,00	3040,00
	120/70 R 17 NHS TL	SC2	53R-23330	267,00	3040,00
	120/70 R 17 NHS TL	SC3	53R-27384	267,00	3040,00
	125/70 R 17 NHS TL	SC1	53R-3755200	274,00	3103,00
	125/70 R 17 NHS TL	SC2	53R-3869200	274,00	3103,00
	125/70 R 17 NHS TL	SC3	53R-3869300	274,00	3103,00

Rear	Size	CPD	Code	Euro	Sek/Nok
17"	120/70 R 17 NHS TL	SC1	53R-2818500	237,00	2819,00
	140/70 R 17 NHS TL	SC2	53R-3869400	278,00	3150,00
	160/60 R 17 NHS TL	SC2	53R-16318	243,00	2830,00
	180/60 R 17 NHS TL	SC0	53R-2706100	327,00	3728,00
	180/60 R 17 NHS TL	SC1	53R-25618	327,00	3728,00
	180/60 R 17 NHS TL	SC2	53R-25619	327,00	3728,00
	190/60 R 17 NHS TL	SC0	53R-3887700	363,00	4111,00
	190/60 R 17 NHS TL	SC1	53R-3887800	363,00	4111,00
	200/60 R 17 NHS TL	SC0	53R-23331	373,00	4237,00
	200/60 R 17 NHS TL	SC1	53R-23332	373,00	4237,00
	200/60 R 17 NHS TL	SC3	53R-27386	373,00	4237,00
	200/65 R 17 NHS TL	SC0	53R-3755100	387,00	4400,00
	200/65 R 17 NHS TL	SC1	53R-3869600	387,00	4400,00
	200/65 R 17 NHS TL	SC3	53R-3869700	387,00	4400,00

DIABLO SUPERBIKE - FRONT



DIABLO SUPERBIKE - REAR



Note: Temperature information refers to tyre operating conditions. Compound choice can vary depending on bike setup and riding style. Please check with your dealer or racing service.



THE INTERMEDIATE TYRE

- World Superbike Championship's tyre
- Performance and control in Intermediate weather conditions
- Regular wear without loss in performance
- Superb traction and stability at high speed

**RACING
DIABLO™ WET**

Front	Size	CDP	Code	Euro	Sek/Nok
17"	120/70 R 17 NHS TL		53R-24001	222,00	2583,00
Rear	Size	CDP	Code	Euro	Sek/Nok
17"	190/60 R 17 NHS TL		53R-23780	322,00	3764,00

RACING

DIABLO™ RAIN

Front	Size	CPD	Code	Euro	Sek/Nok
17"	100/70 R 17 NHS TL	SCR1	53R-22431	201,00	2352,00
	120/70 R 17 NHS TL	SCR1	53R-22438	222,00	2583,00
Rear	Size	CPD	Code	Euro	Sek/Nok
17"	125/70 R 17 NHS TL	SCR1	53R-22432	217,00	2531,00
	140/70 R 17 NHS TL	SCR1	53R-26901	262,00	3061,00
	190/60 R 17 NHS TL	SCR1	53R-22439	322,00	3764,00
	200/60 R 17 NHS TL	SCR1	53R-2855300	355,00	4232,00
	200/60 R 17 NHS TL	SCR2	53R-3767500	355,00	4232,00

THE RAIN TYRE

- World Superbike Championship's tyre
- Performance and control in severe wet conditions
- Superb traction and stability at high speed
- Wet surface grip combined with optimised wear



DIABLO™ SUPERCORSA SC

RACING

DIABLO™ SUPERCORSA SC


Front	Size	CPD	Code	Euro	Sek/Nok
17"	110/70 ZR 17 M/C 54W TL	SC1	53R-3141700	234,00	2720,00
	110/70 ZR 17 M/C 54W TL	SC3	53R-3869800	241,00	2725,00
	120/70 ZR 17 M/C 58W TL	SC1	53R-3309100	267,00	3040,00
	120/70 ZR 17 M/C 58W TL	SC2	53R-3309200	267,00	3040,00
	120/70 ZR 17 M/C 58W TL	SC3	53R-3869900	267,00	3040,00
Rear	Size	CPD	Code	Euro	Sek/Nok
17"	140/70 ZR 17 M/C 66W TL	SC1	53R-3141900	270,00	3129,00
	140/70 ZR 17 M/C 66W TL	SC3	53R-3888000	278,00	3150,00
	150/60 ZR 17 M/C 66W TL	SC1	53R-3309300	282,00	3255,00
	150/60 ZR 17 M/C 66W TL	SC2	53R-3309400	282,00	3255,00
	160/60 ZR 17 M/C 69W TL	SC1	53R-3309500	291,00	3365,00
	160/60 ZR 17 M/C 69W TL	SC2	53R-3309600	291,00	3365,00
	180/55 ZR 17 M/C 73W TL	SC2	53R-3309700	318,00	3665,00
	180/60 R 17 M/C 75V TL	SC0	53R-3309800	362,00	4121,00
	180/60 ZR 17 M/C 75W TL	SC1	53R-3309900	362,00	4121,00
	180/60 ZR 17 M/C 75W TL	SC2	53R-3310000	362,00	4121,00
	180/60 ZR 17 M/C 75W TL	SC3	53R-3870000	362,00	4121,00
	190/55 ZR 17 M/C 75W TL	SC2	53R-3310100	358,00	4069,00
	200/55 ZR 17 M/C 78W TL	SC1	53R-3310300	378,00	4305,00
	200/55 ZR 17 M/C 78W TL	SC2	53R-3310400	378,00	4305,00
	200/60 ZR 17 M/C 80W TL	SC1	53R-3626000	416,00	4725,00
	200/60 ZR 17 M/C 80W TL	SC3	53R-3870100	416,00	4725,00

THE LATEST GENERATION OF STREET LEGAL RACING TYRE


- Racing soul approved for street use
- Latest SC compound developed in the FIM Superbike World Championship for ultimate performance on track
- State-of-the-art profiles maximise handling and cornering thrusts
- Superb traction and stability at high speed
- Patented tread design optimises wear uniformity and contributes to quick warm-up
- New SC3 compound for enhanced abrasion resistance and remarkable performance in multiple sessions in an incredibly wide operating range



DIABLO SUPERCORSA SC - FRONT



DIABLO SUPERCORSA SC - REAR



Note: Temperature information refers to tyre operating conditions. Compound choice can vary depending on bike setup and riding style. Please check with your dealer or racing service.

Tyres



542

O
DUNLOP



DUNLOP

RACE TO ROAD TECHNOLOGY AND INNOVATION.



MULTI-TREAD (MT) TECHNOLOGY

What is it?: Multiple compounds used in the tread

Benefit area: Provides different performance properties at lean and when upright

Benefit: Combines durability and cornering performance

Application area:



JOINTLESS BELT (JLB) CONSTRUCTION

What is it?: Continuously wound belt around the tire casing

Benefit area: Reinforces the tire construction

Benefit: Controls dynamic growth and handling

Application area:



NTEC - PRESSURE ADJUSTMENT SYSTEM

What is it?: Highly reinforced casing construction on race tires

Benefit area: Allows to substantially reduce inflation pressure

Benefit: Increase the size of the contact patch, grip and reduce localised wear

Application area:



JOINTLESS TREAD (JLT)

What is it?: Continuously wound tread compound

Benefit: Provides greater flexibility for performance tuning and optimises performance, consistency and mileage for factory racing tires

Application area:



CARCASS TENSION CONTROL SYSTEM (CTCS)

What is it?: Tire casing architecture with different tension zones

Benefit area: Stability & feedback

Benefit: Combines compliance and optimised footprint area for optimum grip, stability and feedback

Application area:



DFF - DYNAMIC FRONT FORMULA

What is it?: Front tire design process

Benefit area: By playing with a number of given parameters, today our engineers can tune a tire to perfectly suit the intended usage

Benefit: Offers the ideal balance between steering effort, clear feedback and neutral handling

Application area:



NTEC RT - NTEC ROAD & TRACK

What is it?: Casing construction allowing to run reduced inflation pressures for track days

Benefit area: Dry grip (for road tires when used on track)

Benefit: Provides an increased contact patch, increasing mechanical grip, in order to improve wear distribution, tire life and performance consistency for demanding track day riders. Used in tires that are suitable for use on public roads

Application area:



HEAT CONTROL TECHNOLOGY (HCT)

What is it?: Advanced tread architecture using different cap (outer) and base (lower) compounds

Benefit area: Used to combine conflicting properties

Benefit: The base compound can be tuned to either generate or reduce heat build-up, in order to optimise cap compound performance

Application area:




Ultimate performance on your favourite roads or the most demanding of tracks.

- Rare balance between reduced steering effort and optimum turn-in grip
- Reassuring and fun handling on the road, and race-tire like performance on the track
- Optimum grip achieved through the introduction of Speed Vent Tread (SVT)
- Long lasting and consistent performance in a wide variety of circumstances, providing safe grip, both on the road and on track

**SPORT
SPORTSMART TT**

Front	Size	Code	Euro	Sek/Nok
17"	110/70 R 17 54H TL	544-635175	146,00	1570,00
	120/70 R 17 58H TL	544-635176	137,00	1481,00
	120/70 ZR 17 (58W) TL	544-635177	167,00	1806,00
19"	120/70 ZR 19 (60W) TL	544-636785	176,00	2006,00

Rear	Size	Code	Euro	Sek/Nok
17"	140/70 R 17 66H TL	544-635178	197,00	2126,00
	150/60 R 17 66H TL	544-635179	201,00	2174,00
	160/60 R 17 69H TL	544-635180	206,00	2216,00
	160/60 ZR 17 (69W) TL	544-635181	213,00	2284,00
	170/60 ZR 17 (72W) TL	544-636786	197,00	2252,00
	180/55 ZR 17 (73W) TL	544-635182	223,00	2405,00
	180/60 ZR 17 (75W) TL	544-635223	234,00	2520,00
	190/55 ZR 17 (75W) TL	544-635224	234,00	2520,00
200/55 ZR 17 (78W) TL	544-635225	253,00	2730,00	


SPORTSMART mk3


Dunlop's race-to-road philosophy of producing high performance sports tires continues with the SportSmart Mk3.

- Innovative compound blend provides increased rider confidence on wet surfaces
- Sport-focused casing construction provides exceptional handling for committed riding
- High Surface Area silica offers improved durability and exceptional wet performance
- Multi-Tread (MT) technology increases cornering side grip and mileage

**SPORT
SPORTSMART mk3**

Front	Size	Code	Euro	Sek/Nok
17"	120/17 ZR 17 (58W) TL	544-635215	147,00	1628,00
17"	180/55 ZR 17 (73W) TL	544-635216	216,00	2384,00
	180/60 ZR 17 (75W) TL	544-635217	227,00	2504,00
	190/50 ZR 17 (73W) TL	544-635218	231,00	2552,00
	190/55 ZR 17 (75W) TL	544-635219	236,00	2594,00
	200/55 ZR 17 (78W) TL	544-635220	240,00	2641,00



On-Road sport tyre with modern technology for older sports bikes.

- Selected for a wide range of sport bike models
- Multi-Tread (MT) compound for faster warm up times, longer life and more grip in both wet and dry
- Unique pattern design for higher contact area, pure grip and more feedback
- Jointless Belt (JLB) rear tyre construction enables superb high-speed stability and shock absorption

**SPORT
QUALIFIER II**

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 (58W) TL	544-624728	100,00	1271,00
17"	160/60 ZR 17 (69W) TL	544-624780	139,00	1596,00
	170/60 ZR 17 (72W) TL	544-625927	200,00	2153,00
	180/55 ZR 17 (73W) TL	544-624782	139,00	1717,00
	190/50 ZR 17 (73W) TL	544-624784	154,00	1806,00
	190/55 ZR 17 (75W) TL	544-627787	178,00	1906,00
	200/50 ZR 17 (75W) TL	544-625991	212,00	2431,00



SPORT-TOURING

ROADSMART III

Front	Size	Code	Euro	Sek/Nok
17"	120/60 ZR 17 (55W) TL	544-635443	158,00	1748,00
	120/70 ZR 17 (58W) TL	544-634395	146,00	1607,00
18"	120/70 ZR 17 (58W) SP TL	544-636510	135,00	1496,00
	130/70 ZR 17 (62W) TL	544-634521	199,00	2084,00
19"	110/80 R 18 58V TL	544-634743	154,00	1559,00
	120/70 ZR 18 (59W) TL	544-634396	166,00	1727,00
17"	110/80 R 19 59V TL	544-634394	162,00	1696,00
	120/70 ZR 19 (60W) TL	544-634397	154,00	1717,00
Rear	Size	Code	Euro	Sek/Nok
17"	150/70 R 17 69V TL	544-634398	181,00	1927,00
	150/70 ZR 17 (69W) TL	544-634399	183,00	1964,00
18"	160/60 ZR 17 (69W) TL	544-634400	194,00	2074,00
	160/70 ZR 17 (73W) TL	544-634522	200,00	2105,00
18"	170/60 ZR 17 (72W) TL	544-634401	212,00	2284,00
	180/55 ZR 17 (73W) TL	544-634402	215,00	2263,00
18"	180/55 ZR 17 (73W) SP TL	544-634946	208,00	2305,00
	190/50 ZR 17 (73W) TL	544-634403	220,00	2342,00
18"	190/55 ZR 17 (75W) TL	544-634404	224,00	2452,00
	190/55 ZR 17 (75W) SP TL	544-634947	216,00	2452,00
18"	140/70 R 18 67V TL	544-634554	197,00	2084,00
	170/60 ZR 18 (73W) TL	544-634555	223,00	2342,00

SP version offering augmented high speed stability.

Dunlop's GT tire - for grip and performance that's stronger for longer.*

- Improved wet and dry grip - for longer
- Wear resistant high-performance compound for high mileage
- Key sizes in Standard spec for reduced steering effort on heavier bikes and SP versions for enhanced stability and feedback on sportier and fitment-sensitive models**
- Significantly reduced steering effort and fast warm-up



*Versus predecessor, RoadSmart II

**SP version offering augmented high speed stability.
Please consult fitment guide for recommended fitment per model

ROADSMART II

SPORT-TOURING

ROADSMART II

Front	Size	Code	Euro	Sek/Nok
17"	110/70 ZR 17 (54W) TL	544-629679	134,00	1460,00
	120/60 ZR 17 (55W) TL	544-629740	113,00	1439,00
18"	120/70 ZR 17 (58W) TL	544-629741	111,00	1407,00
	110/80 ZR 18 (58W) TL	544-629750	144,00	1428,00
18"	120/70 ZR 18 (59W) TL	544-629751	144,00	1538,00
Rear	Size	Code	Euro	Sek/Nok
17"	150/70 ZR 17 (69W) TL	544-629742	162,00	1738,00
	160/60 ZR 17 (69W) TL	544-629744	168,00	1817,00
18"	160/70 ZR 17 (73W) TL	544-629745	197,00	2095,00
	180/55 ZR 17 (73W) TL	544-629747	181,00	2006,00
18"	190/50 ZR 17 (73W) TL	544-629748	188,00	2053,00
	190/55 ZR 17 (75W) TL	544-629749	201,00	2195,00
18"	160/60 ZR 18 (70W) TL	544-629752	194,00	2242,00
	200/50 R 18 76V TL	544-633719	265,00	2840,00

Premium all-round sport-touring tire.

- Front and rear JointLess Belt (JLB) deliver increased stability
- Rear Multi-Tread (MT) for outstanding mileage
- Specially designed front grooves for shorter braking distances on dry and wet roads
- Specifically designed carcass for easy and neutral low and high-speed handling



Tyres

ARROWMAX STREETSMART



Sport-touring bias tire with modern technology for lightweight and classic bikes.

- Ideal for lightweight and classic bikes
- Stylish design
- State of the art performance
- Innovative compounds with tailor-made silica optimise the balance between wet grip and mileage



SPORT-TOURING ARROWMAX STREETSMART

Front	Size	Code	Euro	Sek/Nok
16"	110/90 - 16 59V TL	544-630360	133,00	1349,00
	120/80 - 16 60V TL	544-630361	127,00	1281,00
17"	90/80 - 17 46S TL	544-630380	80,00	803,00
	100/80 - 17 52H TL	544-630365	85,00	914,00
	110/70 - 17 54H TL	544-630366	96,00	1129,00
	110/80 - 17 57V TL	544-630368	121,00	1239,00
18"	120/70 - 17 58V TL	544-630370	132,00	1339,00
	110/80 - 18 58V TL	544-630383	134,00	1360,00
19"	110/90 - 18 61V TL	544-630385	131,00	1328,00
	3.25 - 19 54H TL/TT	544-633619	110,00	1103,00
	90/90 - 19 52H TL	544-630393	144,00	1460,00
	100/90 - 19 57V TL	544-630391	119,00	1349,00


Rear	Size	Code	Euro	Sek/Nok
16"	130/90 - 16 67V TL	544-630363	148,00	1496,00
	110/80 - 17 57S TL	544-630367	111,00	1113,00
	130/70 - 17 62H TL	544-630372	108,00	1339,00
	130/80 - 17 65H TL	544-630373	127,00	1439,00
	130/90 - 17 68V TL	544-630374	147,00	1470,00
	140/80 - 17 69V TL	544-630376	165,00	1659,00
	150/70 B 17 69V TL	544-630378	176,00	1727,00
	4.00 - 18 64H TL	544-633618	113,00	1260,00
18"	120/90 - 18 65V TL	544-630387	134,00	1360,00
	130/70 - 18 63H TL	544-630388	136,00	1381,00
	130/80 - 18 66V TL	544-630389	153,00	1549,00

ARROWMAX GT601



The Arrowmax GT601 line-up complements the StreetSmart range, to form a formidable line-up in highly performing sport-touring bias tires.

- High-performance bias tires can be used for various riding styles, on a wide range of bikes
- Silica blend compound for stable grip in all conditions, with high abrasion resistance and great wet performance
- Designed with the latest simulation technologies to ensure tread pattern rigidity
- Responsive and smooth handling, with ample feedback even at high lean angles



SPORT-TOURING ARROWMAX GT601

Front	Size	Code	Euro	Sek/Nok
16"	100/90 - 16 54H TL	544-636084	86,00	924,00
	90/90 - 18 51H TL	544-636092	70,00	751,00
18"	100/80 - 18 53H TL	544-636083	84,00	903,00
Rear	Size	Code	Euro	Sek/Nok
17"	120/80 - 17 61H TL	544-636086	99,00	1071,00
	140/70 - 17 66H TL	544-636088	101,00	1092,00
	150/70 - 17 69H TL	544-636090	103,00	1113,00
18"	110/80 - 18 58H TL	544-636085	95,00	1013,00
	120/80 - 18 62H TL	544-636087	99,00	1071,00
	140/70 - 18 67H TL	544-636089	110,00	1181,00
	150/70 - 18 70H TL	544-636091	115,00	1229,00

ALLROUND

Roadsport 2

Front	Size	Code	Euro	Sek/Nok
17"	120/60 ZR 17 (55W) TL	544-636535	142,00	1570,00
	120/70 ZR 17 (58W) TL	544-636536	142,00	1570,00
Rear	Size	Code	Euro	Sek/Nok
17"	160/60 ZR 17 (69W) TL	544-636537	173,00	1906,00
	180/55 ZR 17 (73W) TL	544-636538	184,00	2027,00
	190/50 ZR 17 (73W) TL	544-636539	206,00	2273,00
	190/55 ZR 17 (75W) TL	544-636540	222,00	2452,00
	200/55 ZR 17 (78W) TL	544-636541	243,00	2672,00

The Roadsport 2 is a sports tire designed for everyday riding. The great value package makes it a great proposition for keen riders.

- Consistent performance from new to worn, thanks to the state-of-the-art HCT tread design
- High silica content provides strong wet performance
- The highly modern compound, using very fine carbon black, provides versatile performance for different riding styles, in a wide range of conditions



GPR-300

ALLROUND

GPR-300

Front	Size	Code	Euro	Sek/Nok
16"	130/70 ZR 16 (61W) TL	544-635421	125,00	1202,00
17"	110/70 R 17 54H TL	544-634872	88,00	992,00
	110/70 ZR 17 (54W) TL	544-634863	90,00	992,00
	120/60 ZR 17 (55W) TL	544-634864	86,00	1013,00
	120/70 ZR 17 (58W) TL	544-634865	89,00	1061,00
18"	110/80 ZR 18 (58W) TL	544-634871	128,00	1292,00
Rear	Size	Code	Euro	Sek/Nok
17"	140/70 R 17 66H TL	544-634866	118,00	1507,00
	150/60 R 17 66H TL	544-634867	135,00	1559,00
	150/70 ZR 17 (69W) TL	544-634868	121,00	1439,00
	160/60 ZR 17 (69W) TL	544-634869	122,00	1460,00
	170/60 ZR 17 (72W) TL	544-635422	142,00	1528,00
	180/55 ZR 17 (73W) TL	544-634873	125,00	1507,00
	190/50 ZR 17 (73W) TL	544-634870	143,00	1607,00

Dunlop's GPR-300 delivers all-round performance for confidence to ride everyday.

- Pattern designed to deliver safe performance in all urban conditions
- Light and flexible construction for comfort, smooth handling and reassuring stability
- Silica-blend compound for good mileage, durability and dependable grip in the wet and the dry



TT/OO GP



Vintage style. Modern-day performance.

- Dunlop's quintessential classic tread design combined with modern performance
- Available in crossply and radial sizes
- Contemporary technology provides versatility and confidence in a wide range of conditions
- Radial versions with revised pattern design to obtain optimum casing rigidity and footprint

VINTAGE TT100 GP

New!

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 (58W) TL	544-636716	111,00	1271,00
18"	100/90 - 18 56H TL	544-636763	108,00	1234,00
Rear	Size	Code	Euro	Sek/Nok
17"	150/70 R 17 69W TL	544-636717	139,00	1586,00
	180/55 ZR 17 (73W) TL	544-636718	184,00	2100,00



TT100



Classic style for lightweight and classic bikes. First production tire to reach a lap speed of 100 mph at the Isle of Man TT in 1969.

- Modern performance with classic style
- Perfect for lightweight and classic bikes

CLASSIC TT100

Front/Rear	Size	Code	Euro	Sek/Nok
18"	4.10 - 18 59H TT	544-652940	140,00	1428,00
	4.25/85 H 18 64H TT	544-652941	156,00	1607,00
19"	3.60 H 19 52H TT	544-652939	139,00	1418,00
	4.10 H 19 61H TT	544-650780	143,00	1460,00



K82



Sport-touring tire designed for older classic and lightweight bikes.

- The ideal tire for older classic and lightweight bikes
- Historic tread pattern with modern technology

CLASSIC K82

Front/Rear	Size	Code	Euro	Sek/Nok
18"	3.00 - 18 47S TT	544-651018	83,00	851,00
	3.25 - 18 52S TT	544-651023	90,00	924,00
	3.50 - 18 56S TT	544-651027	107,00	1082,00



K70



Retro-modern tire for classic bikes.

- Modern performance

CLASSIC K70

Front/Rear	Size	Code	Euro	Sek/Nok
18"	4.00 - 18 64S TT	544-652997	147,00	1507,00
19"	3.25 - 19 54P TT	544-652958	124,00	1271,00
	3.50 - 19 57P TT	544-652959	128,00	1318,00



MUTANT

CROSSOVER

MUTANT


New!

Front	Size	Code	Euro	Sek/Nok
17"	110/70 ZR 17 (54W) M+S TL	544-636493	147,00	1680,00
	120/70 ZR 17 (58W) M+S TL	544-636495	155,00	1769,00
18"	110/80 ZR 18 (58W) M+S TL	544-636494	156,00	1785,00
19"	120/70 ZR 19 60W M+S TL	544-636496	159,00	1817,00

Rear	Size	Code	Euro	Sek/Nok
17"	170/60 ZR 17 72W M+S TL	544-636503	219,00	2504,00
	180/55 ZR 17 (73W) M+S TL	544-636504	222,00	2541,00
	190/55 ZR 17 (75W) M+S TL	544-636505	226,00	2583,00

The Crossover tire. Rain. Touring. Sunday blasts.

- Supreme versatility to provide rider confidence in all conditions throughout the year
- Superb wet performance thanks to a tread pattern taking elements from wet racing, supermoto and dirt track tires
- Sports tire handling and stability courtesy of tire contours developed using DFF (Dynamic Front Formula)
- Using state of the art compounds and resins combine performance and durability



SPORTMAX MUTANT

CROSSOVER


SPORTMAX MUTANT

Front	Size	Code	Euro	Sek/Nok
17"	120/70 ZR 17 (58W) TL	544-669291	146,00	1590,00

Rear	Size	Code	Euro	Sek/Nok
17"	150/60 ZR 17 (66W) TL	544-669308	189,00	2006,00
	160/60 ZR 17 (69W) TL	544-669309	197,00	2095,00

Specialised supermoto tyre designed for on- and off-road challenges.

- Lightweight casings, specific mono-ply construction on front and JointLess Belt (JLB) constructed rear
- Wide footprint allows for superb manoeuvrability and total control when sliding through corners
- Aggressive tread pattern allows high performance in all conditions, including off-road use
- Front and rear selected tread compounds offer durability and grip on wet and dry surfaces



TRAILMAX MERIDIAN



The all-new premium trail and road tire.

- The Trailmax Meridian makes the perfect partner for bikes with a sense of adventure.
- Using state of the art compounds and resin blends provides improved grip in wet conditions
- Rayon Ply tire casing handles heat better, minimising warm up times and achieving the more efficient use of the tread compound
- Multi-Tread (MT) technology (combining a softer shoulder and tougher centre) gives rock-solid grip and great durability

ADVENTURE & TRAIL TRAILMAX MERIDIAN

New!

Front	Size	Code	Euro	Sek/Nok
19"	100/90 - 19 57V TL	544-636384	137,00	1559,00
	110/80 R 19 59V TL	544-636385	150,00	1712,00
	120/70 ZR 19 60W TL	544-636386	156,00	1785,00
21"	90/90 V 21 (54V) TL	544-636383	137,00	1559,00
	150/70 R 17 69V TL	544-636387	171,00	1958,00
	170/60 ZR 17 72W TL	544-636389	181,00	2063,00
18"	150/70 ZR 18 70W TL	544-636388	185,00	2116,00



TRAILSMART MAX



TrailSmart MAX combines sport-touring levels of road performance with a spirit of adventure.

- Front tire construction in 90/90-21 and 120/70(Z)R19 improves handling on the latest and most popular 1000 and 1200+ cc adventure motorcycles
- TrailSmart MAX rears all feature Multi-Tread (MT), combining high mileage and cornering grip
- Rear tires feature rayon ply casings to accompany Multi-Tread (MT) compounds and further enhance mileage
- RoadSmart III-based rear compound helps boost endurance

ADVENTURE & TRAIL TRAILSMART MAX

Front	Size	Code	Euro	Sek/Nok
19"	110/80 R 19 59V TL	544-635653	134,00	1449,00
	120/70 ZR 19 60W TL	544-635655	146,00	1570,00
	90/90 - 21 54V TL	544-635660	122,00	1307,00
21"	150/70 R 17 69V TL	544-635656	163,00	1748,00
	170/60 ZR 17 72W TL	544-635659	176,00	1895,00
	150/70 R 18 70V TL	544-635657	176,00	1895,00



TRAILSMART



The adventure tire that takes you wherever the road takes you.

- Revised tread pattern for improved* mileage / Improved* wet performance, right up to the limit
- Exceptional cornering grip in all conditions
- Optimal balance between on- and off-road capabilities

*When compared to Trailmax TR91

ADVENTURE & TRAIL TRAILSMART

Front	Size	Code	Euro	Sek/Nok
19"	100/90 - 19 57H TL/TT	544-634143	120,00	1271,00
	90/90 - 21 54V TL/TT	544-634427	116,00	1171,00
21"	120/90 - 17 64S TL/TT	544-634140	144,00	1496,00
	130/80 - 17 65S TL/TT	544-634141	145,00	1538,00
	130/80 R 17 65H TL/TT	544-634139	160,00	1785,00
	140/80 R 17 69H TL/TT	544-634138	162,00	1806,00



**ADVENTURE & TRAIL
TRAILMAX**

Front	Size	Code	Euro	Sek/Nok
19"	100/90 - 19 57T TT	544-651044	116,00	1181,00
21"	80/90 - 21 48S TT	544-653009	99,00	1003,00
	90/90 - 21 54T TL	544-651074	111,00	1113,00
	90/90 - 21 54H TT	544-653386	111,00	1113,00
Rear	Size	Code	Euro	Sek/Nok
17"	120/90 - 17 64S TT	544-651048	118,00	1181,00
	130/80 - 17 65T TL	544-651054	141,00	1449,00
	140/80 - 17 69H TT	544-653005	162,00	1638,00
18"	110/80 - 18 58S TT	544-653000	122,00	1229,00
	120/90 - 18 65T TT	544-651049	147,00	1470,00

The essential tire for single cylinder and mid-size twin cylinder trail bikes.

- Aggressive, high-contact, directional semi-lug tread pattern
- Multiple edges are well suited for off-road use and even find grip on difficult rocky terrain
- Relatively high land/sea ratio and rugged compound give good on-road grip and long tread life
- Extensive fitment list covers a variety of 19" and 21" front, and 17" and 18" rear tire sizes



DT3-R

**ADVENTURE & TRAIL
DT3-R**

Front	Size	Code	Euro	Sek/Nok
19"	120/70 R 19 60V TL	544-636673	256,00	2830,00
Rear	Size	Code	Euro	Sek/Nok
18"	150/70 R 18 70V TL	544-636674	328,00	3607,00

The famous flat-track racing tire DT3 now has a road-going cousin! The thoroughly modern DT3-R delivers the performance its flat-track pattern promises.



D606

**ADVENTURE & TRAIL
D606**

Front	Size	Code	Euro	Sek/Nok
21"	90/90 - 21 54R TT	544-665433	102,00	1139,00
Rear	Size	Code	Euro	Sek/Nok
17"	130/90 - 17 68R TT	544-65981	144,00	1607,00
18"	120/90 - 18 65R TT	544-634998	128,00	1428,00
	130/90 - 18 69R TT	544-665432	134,00	1507,00

Better mileage. Better Handling. Now you get both.

Dunlop's American Elite is the aftermarket tire line for American motorcycles that is designed, tested and manufactured in the U.S.A.

The entire range of American Elite tires—including the black sidewall, narrow white bar sidewall and wide white wall tires—are created with Dunlop's Multi-Tread (MT) technology in the rear to offer higher mileage. There are 5 sizes within the American Elite range that allow owners of Harley-Davidson and Indian motorcycles to choose the sidewall style that best suits their bike.





AMERICAN ELITE™



Better mileage. Better Handling. Now you get both.

Dunlop's American Elite is the aftermarket tire line for American motorcycles that is designed, tested and manufactured in the U.S.A.

The entire range of American Elite tires—including the black sidewall, narrow white bar sidewall and wide white wall tires—are created with Dunlop's Multi-Tread (MT) technology in the rear to offer higher mileage. There are 5 sizes within the American Elite range that allow owners of Harley-Davidson and Indian motorcycles to choose the sidewall style that best suits their bike.

- Even wear and quiet operation in a variety of conditions, wet and dry
- Multi-Tread (MT) rear tire incorporates a long-wearing compound in the centre of the tire
- An ideal balance of comfort, enhanced handling and tread life
- Available in a variety of sizes and sidewall styles, including black, Narrow-White-Sidewall (NWS) and Wide-White-Sidewall (WWW)

**CUSTOM
AMERICAN ELITE**

Front	Size	Code	Euro	Sek/Nok
16"	MT90 B 16 72H TL	544-634264	206,00	2384,00
	MT90 B 16 72H TL Narrow White Sidewall	544-634265	251,00	2898,00
	MT90 B 16 72H TL Wide Whitewall	544-634266	256,00	2998,00
	130/90 B 16 67H TL Wide Whitewall	544-633590	283,00	2772,00
17"	130/80 B 17 65H TL	544-634253	178,00	2315,00
	130/80 B 17 65H TL Narrow White Sidewall	544-634270	243,00	2798,00
	140/75 R 17 67V TL	544-634244	231,00	2851,00
18"	130/70 B 18 63H TL	544-634254	190,00	2315,00
19"	100/90 - 19 57H TL	544-634256	161,00	1806,00
	130/60 B 19 61H TL	544-634257	236,00	2630,00
21"	MH90 - 21 54H TL	544-634258	163,00	1874,00
	130/60 B 21 63H TL	544-635354	219,00	2504,00
Rear	Size	Code	Euro	Sek/Nok
16"	MT90 B 16 74H (MT) TL	544-634261	223,00	2573,00
	MT90 B 16 74H (MT) TL Narrow White Sidewall	544-634262	246,00	2851,00
	MT90 B 16 74H (MT) TL Wide Whitewall	544-634263	285,00	3276,00
	130/90 B 16 73H (MT) TL	544-635002	194,00	2252,00
	140/90 B 16 77H (MT) TL Wide Whitewall	544-635003	231,00	2709,00
	MU85 B 16 77H (MT) TL	544-634267	264,00	3029,00
	MU85 B 16 77H (MT) TL Narrow White Sidewall	544-634268	295,00	3397,00
	MU85 B 16 77H (MT) TL Wide Whitewall	544-634269	305,00	3575,00
	150/80 B 16 77H (MT) TL	544-634250	204,00	2405,00
	180/65 B 16 81H (MT) TL	544-634251	256,00	3187,00
	180/65 B 16 81H (MT) TL Narrow White Sidewall	544-634260	291,00	3476,00
	180/65 B 16 81H (MT) TL Wide Whitewall	544-633591	305,00	3365,00
17"	160/70 B 17 73V (MT) TL	544-635004	227,00	2720,00
	200/55 R 17 78V (MT) TL	544-634246	281,00	3276,00
18"	180/55 B 18 80H (MT) TL	544-635005	281,00	3276,00
	240/40 R 18 79V (MT) TL	544-635353	314,00	3654,00

Multi-Tread (MT) rear tire incorporates a long-wearing compound in the centre of the tire.
 WWW = Wide Whitewall
 NWS = Narrow White Sidewall





D404

CUSTOM **D404**

Front	Size	Code	Euro	Sek/Nok
16"	130/90 - 16 67H TT Wide Whitewall	544-650726	204,00	1995,00
	130/90 - 16 67S TT	544-651006	137,00	1507,00
	130/90 - 16 67H TL (x) XVZ1300	544-621423	162,00	1806,00
	150/80 - 16 71H TL (G) VN1500	544-652860	215,00	2105,00
	150/80 - 16 71H TL Wide Whitewall	544-650754	242,00	2352,00
17"	120/90 - 17 64S TT	544-664429	151,00	1481,00
	140/80 - 17 69H TT	544-662654	208,00	2027,00
	140/80 - 17 69H TT Wide Whitewall	544-650738	274,00	2683,00
18"	100/90 - 18 56H TL	544-636853	124,00	1412,00
	110/90 - 18 61H TL	544-636854	143,00	1633,00
19"	3.00 S 19 49S TT	544-653338	111,00	1113,00
	100/90 - 19 57H TL	544-650672	113,00	1339,00
21"	80/90 - 21 48H TL (J) VN900	544-622273	128,00	1229,00
	90/90 - 21 54S TT	544-622274	131,00	1281,00

Rear	Size	Code	Euro	Sek/Nok
15"	130/90 - 15 66H TL	544-636855	138,00	1570,00
	140/90 - 15 70S TT	544-651011	162,00	1510,00
	140/90 - 15 70H TL	544-653363	167,00	1628,00
	150/90 B 15 74H TL Wide Whitewall	544-650759	273,00	2672,00
	170/80 - 15 77S TT (J) VT750C2, XVS650	544-651014	165,00	1827,00
16"	170/80 - 15 77H TL	544-636857	178,00	2053,00
	180/70 - 15 76H TL	544-622275	203,00	1985,00
	140/90 - 16 71H TL	544-636856	197,00	2252,00
	150/80 - 16 71H TT	544-650755	212,00	2027,00
17"	150/80 - 16 71H TL (Q) CMX500 '17	544-635984	183,00	1964,00
	150/80 B 16 71H TT Wide Whitewall	544-650752	242,00	2352,00
	150/80 B 16 71H TL	544-631782	176,00	1906,00

WWW=Wide Whitewall

Offers the widest range for custom bikes.

- Tread compound and pattern delivers excellent mileage and grip on wet or dry roads
- Offset centre tread groove provides superb straight-line stability



ELITE 4



High mileage, even-wear characteristics, and great grip - the Dunlop Elite 4. The new standard for tourers and cruisers.

All Elite 4 rear tires utilize Dunlop's Multi-Tread (MT) technology with a long-wearing compound in the center of the tire and a lateral-grip compound on each shoulder, providing increased mileage without sacrificing handling.

Innovative tread pattern helps provide class-leading wet-condition performance, even wear over the life of the tire, and less road noise.

Available in radial and bias-ply construction, the Elite 4 fits touring, cruiser and standard bikes, including current and non-current machines.

- Easy to steer and turn
- Excellent straight-line, braking and cornering stability on dry and wet
- A new standard for mileage and versatility in the Dunlop product line

CUSTOM ELITE 4

Front	Size	Code	Euro	Sek/Nok
16"	130/90 B 16 73H TL	544-635375	181,00	1885,00
17"	150/80 R 17 72H TL	544-636167	243,00	2620,00
18"	130/70 - 18 63H TL	544-635378	174,00	1717,00
	130/70 R 18 63H TL	544-635374	197,00	2105,00

Rear	Size	Code	Euro	Sek/Nok
16"	160/80 B 16 80H (MT) TL	544-635377	225,00	2195,00
	180/60 R 16 80H (MT) TL	544-635373	228,00	2709,00
	200/55 R 16 77H (MT) TL	544-637144	315,00	3602,00
18"	250/40 R 18 81V (MT) TL	544-636170	377,00	4053,00

Multi-Tread (MT) rear tire incorporates a long-wearing compound in the centre of the tire.



CUSTOM ELITE 3 Wide

Rear	Size	Code	Euro	Sek/Nok
18"	240/40 R 18 79V TL	544-669534	288,00	3029,00



CUSTOM K55

Front	Size	Code	Euro	Sek/Nok
18"	110/90 - 18 61S TT	544-651001	145,00	1391,00
Rear	Size	Code	Euro	Sek/Nok
15"	150/80 - 15 70V TL	544-651137	194,00	1885,00
	170/80 - 15 77H TL Wide Whitewall	544-653755	273,00	2662,00
16"	170/70 B 16 75H TL	544-621424	251,00	2431,00

WWW=Wide Whitewall



CUSTOM F14

Front	Size	Code	Euro	Sek/Nok
19"	3.00 - 19 49S TT (G) 535 Virago	544-651019	117,00	1129,00

CUSTOM

F24

Front	Size	Code	Euro	Sek/Nok
19"	110/80 - 19 59S TT	544-656076	148,00	1659,00



CUSTOM

K525

Rear	Size	Code	Euro	Sek/Nok
15"	150/90 - 15 74V TL White Lettering	544-651142	210,00	2342,00

WLT = White Lettering

K425

Rear	Size	Code	Euro	Sek/Nok
15"	140/90 - 15 70S TT	544-651012	123,00	1202,00
	140/90 - 15 70H TL	544-650739	188,00	1827,00

**D251**

Front	Size	Code	Euro	Sek/Nok
16"	150/80 R 16 71V TL	544-666999	225,00	2315,00
18"	130/70 R 18 63H TL (J) XV1900 '06	544-621702	209,00	2153,00
	130/70 R 18 63H TL	544-656879	199,00	2053,00
	150/60 R 18 67V TL	544-667517	230,00	2583,00

Rear	Size	Code	Euro	Sek/Nok
16"	180/70 R 16 77H TL	544-656880	256,00	2672,00
	200/60 R 16 79V TL	544-667001	283,00	2951,00
17"	190/60 R 17 78H TL	544-621701	247,00	2573,00

**D423**

Front	Size	Code	Euro	Sek/Nok
18"	130/70 R 18 63H TL	544-636111	180,00	1937,00

Rear	Size	Code	Euro	Sek/Nok
16"	200/55 R 16 77H TL	544-636112	240,00	2583,00



HARLEY-DAVIDSON®

D401



The only tire approved by Harley-Davidson® for its cruiser models.

- Advanced tread pattern for better grip in wet or dry conditions
- Extremely durable
- Computer-optimised tread profile reduces 'cupping' for even wear
- D401T rear features Multi-Tread (MT) technology, which combines a long-wearing centre compound with lateral grip compounds on each side
- D401T is standard equipment on the 2018 Harley-Davidson Street Bob, Softail Slim, Heritage Classic models

CUSTOM HARLEY-DAVIDSON®

D401


Front	Size	Code	Euro	Sek/Nok
16"	130/90 B 16 73H TL	544-636024	185,00	1985,00
19"	90/90 - 19 52H TL	544-657526	180,00	1895,00
	100/90 - 19 57H TL	544-656274	162,00	1717,00
	100/90 - 19 57H TL Wide Whitewall	544-630191	223,00	2342,00

Rear	Size	Code	Euro	Sek/Nok
16"	130/90 B 16 73H TL	544-656260	177,00	1874,00
	150/80 B 16 71H TL Medium Whitewall	544-631716	272,00	2872,00
	150/80 B 16 71H TL Wide Whitewall	544-630190	272,00	2872,00
	150/80 B 16 77H (MT) TL	544-636026	237,00	2552,00
17"	160/70 B 17 73H TL	544-631126	224,00	2394,00
	160/70 B 17 73H TL Wide Whitewall	544-635313	271,00	3098,00
	200/55 R 17 78V TL	544-626210	289,00	3040,00

WWW = Wide Whitewall

MWW = Medium Whitewall

Multi-Tread (MT) rear tire incorporates a long-wearing compound in the centre of the tire.



D402



The only tire approved by Harley-Davidson® for its touring bikes.

- Computer-optimised tread profile for rider confidence over slippery surfaces while reducing 'cupping' for even wear
- Three-ply polyester casing with two fibreglass belts for greater load capacity and stability

CUSTOM HARLEY-DAVIDSON®

D402

Front	Size	Code	Euro	Sek/Nok
16"	MT90 B 16 72H TL	544-656266	202,00	2174,00
	MT90 B 16 72H TL Slim White Sidewall	544-656265	259,00	2641,00
	MT90 B 16 72H TL Wide Whitewall	544-657229	256,00	2709,00
18"	130/70 B 18 63H TL	544-631127	198,00	2294,00
21"	MH90 - 21 54H TL	544-656276	163,00	1738,00
	MH90 - 21 54H TL Medium Whitewall	544-631715	217,00	2284,00

Rear	Size	Code	Euro	Sek/Nok
16"	MT90 B 16 74H TL	544-656264	217,00	2294,00
	MT90 B 16 74H TL Slim White Sidewall	544-656263	258,00	2641,00
	MT90 B 16 74H TL Wide Whitewall	544-657228	298,00	3166,00
	MU85 B 16 77H TL	544-666005	268,00	2830,00
	MU85 B 16 77H TL Slim White Sidewall	544-666006	306,00	3140,00
	MU85 B 16 77H TL Wide Whitewall	544-661321	298,00	3166,00

WWW = Wide Whitewall

MWW = Medium Whitewall

SW = Slim White Sidewall



D407

D408

CUSTOM HARLEY-DAVIDSON®

D408 Front

Front	Size	Code	Euro	Sek/Nok
16"	130/90 B 16 67H TL Wide Whitewall	544-627503	263,00	2751,00
17"	130/80 B 17 65H TL	544-627504	198,00	2084,00
	130/80 B 17 65H TL Slim White Sidewall	544-627505	259,00	2662,00
	140/75 R 17 67V TL	544-627525	246,00	2583,00
18"	130/70 B 18 63H TL	544-627506	208,00	2205,00
	130/70 R 18 63V TL	544-627567	252,00	2662,00
19"	90/90 - 19 52H TL	544-627507	189,00	1995,00
	130/60 B 19 61H TL	544-636873	257,00	2935,00
21"	MH90 - 21 54H TL	544-627566	178,00	1885,00
	130/60 B 21 63H TL	544-632144	223,00	2342,00

Designed in cooperation
with Harley-Davidson®,
delivering strong, secure
handling in all conditions.


- Outstanding dry grip from rear tread compound
- Angled grooves efficiently disperse water for wet-weather security
- Original equipment on all 2014 touring models featuring black sidewall tires
- D407 rear features Multi-Tread (MT) technology, which combines a long-wearing centre compound with lateral grip compounds on each side



CUSTOM HARLEY-DAVIDSON®

D407 Rear

Rear	Size	Code	Euro	Sek/Nok
16"	180/65 B 16 81H (MT) TL	544-633695	263,00	2819,00
	180/65 B 16 81H TL Slim White Sidewall	544-626444	335,00	3444,00
	180/65 B 16 81H TL Wide Whitewall	544-626445	346,00	3607,00
17"	170/60 R 17 78H TL	544-622342	299,00	3140,00
	200/55 R 17 78V TL	544-622343	306,00	3239,00
18"	180/55 B 18 80H (MT) TL	544-636874	321,00	3675,00
	200/50 R 18 76V TL	544-628180	320,00	3339,00
	240/40 R 18 79V TL	544-624402	329,00	3455,00



WWW = Wide Whitewall

SW = Slim White Sidewall

Multi-Tread (MT) rear tire incorporates a long-wearing compound in the centre of the tire.


GT502

CUSTOM HARLEY-DAVIDSON®

GT502

Front	Size	Code	Euro	Sek/Nok
19"	100/90 V 19 57V TL	544-627374	170,00	1874,00
21"	80/90 - 21 54V TL	544-628184	179,00	1974,00
Rear	Size	Code	Euro	Sek/Nok
16"	130/90 B 16 67V TL	544-627371	189,00	2084,00
	150/80 B 16 71V TL	544-627372	217,00	2373,00
17"	180/60 B 17 75V TL	544-620380	288,00	3166,00
18"	150/70 R 18 70V TL	544-635415	285,00	3140,00

Original Equipment (OE)
replacement rear tire for
Harley-Davidson® XR, Sportster and Dyna® models.



Tyres

DUNLOP

K591



The only tire approved by Harley-Davidson® for its sports bikes.

- Developed from the K591 racing tire to deliver optimum grip in wet or dry conditions
- Directional tread minimises 'stepping' as the tire wears



CUSTOM HARLEY-DAVIDSON®

K591

Front	Size	Code	Euro	Sek/Nok
19"	100/90 19 51V TL	544-656275	157,00	1670,00
Rear	Size	Code	Euro	Sek/Nok
16"	130/90 B 16 67V TL	544-656261	220,00	2331,00
	150/80 B 16 71V TL	544-656262	220,00	2331,00
17"	160/70 B 17 73V TL	544-656270	228,00	2420,00

D429



Developed in conjunction with Harley-Davidson® for their 2018 Fat Bob and Fat Bob S.

- Computer-Optimised tread profile to help promote even wear
- Utilises aggressive Scrambler-like tread pattern for ultimate handling



CUSTOM HARLEY-DAVIDSON®

D429

Front	Size	Code	Euro	Sek/Nok
16"	150/80 - 16 71H TL	544-636025	238,00	2620,00
Rear	Size	Code	Euro	Sek/Nok
16"	180/70 B 16 77H TL	544-636027	324,00	3565,00



CUSTOM HARLEY-DAVIDSON®

D427



Front	Size	Code	Euro	Sek/Nok
16"	130/90 B 16 67H TL	544-624403	225,00	2441,00
Rear	Size	Code	Euro	Sek/Nok
16"	180/70 B 16 77H TL	544-624404	309,00	3365,00



CUSTOM HARLEY-DAVIDSON®

SPORTMAX D208



Front	Size	Code	Euro	Sek/Nok
19"	120/70 ZR 19 (60W) TL	544-622344	232,00	2384,00



CUSTOM HARLEY-DAVIDSON®

SPORTMAX D207



Rear	Size	Code	Euro	Sek/Nok
18"	180/55 ZR 18 (74W) TL	544-657216	274,00	2898,00

OFF-ROAD

GEOMAX MX-12
SAND

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 51M TT	544-635895	82,00	903,00
Rear	Size	Code	Euro	Sek/Nok
10"	70/100 - 10 41J TT	544-636795	43,50	504,00
12"	80/100 - 12 41M TT	544-636796	45,50	525,00
14"	90/100 - 14 49M TT	544-636797	69,00	798,00
16"	90/100 - 16 51M TT	544-636798	77,50	898,00
18"	110/100 - 18 64M TT	544-636794	102,00	1181,00
19"	100/90 - 19 57M TT	544-635893	93,00	1013,00
	110/90 - 19 62M TT	544-635894	95,00	1029,00
	120/80 - 19 63M TT	544-636793	103,00	1192,00

Designed to deliver in even the sandiest conditions.

Born from working with MXGP race teams in Europe and the US, Dunlop's MX-12 offers riders unprecedented grip, handling and traction in even the most extreme sandy and muddy conditions.

- Revised front and rear profiles provide a greater footprint, upgraded traction and improved shock absorption
- Greater braking stability and slide control achieved through V-Block Technology
- Enhanced side grip and slide control in corners thanks to Progressive Cornering Block technology (PCBT)
- Recesses placed strategically along the tire carcass to help smooth ride characteristics and hold a more controlled line



OFF-ROAD

GEOMAX MX33
SOFT TO MID TERRAIN

Front	Size	Code	Euro	Sek/Nok
10"	60/100 - 10 33J TT	544-636101	38,00	415,00
12"	60/100 - 12 36J TT	544-636102	40,00	446,00
14"	60/100 - 14 30M TT	544-636103	40,00	436,00
17"	70/100 - 17 40M TT	544-636105	47,00	525,00
19"	70/100 - 19 42M TT	544-636106	55,00	614,00
21"	80/100 - 21 51M TT	544-636108	74,00	803,00
Rear	Size	Code	Euro	Sek/Nok
10"	70/100 - 10 41J TT	544-636104	44,00	457,00
12"	80/100 - 12 41M TT	544-636107	49,00	525,00
14"	90/100 - 14 49M TT	544-636109	58,00	614,00
16"	90/100 - 16 52M TT	544-636110	57,00	646,00
18"	100/100 - 18 59M TT	544-636094	75,00	803,00
	110/100 - 18 64M TT	544-636096	76,00	835,00
	120/90 - 18 65M TT	544-636100	79,00	893,00
19"	100/90 - 19 57M TT	544-636095	83,00	940,00
	110/90 - 19 62M TT	544-636097	84,00	950,00
	120/80 - 19 63M TT	544-636098	90,00	1013,00
	120/90 - 19 66M TT	544-636099	95,00	1029,00

Dunlop's MX-33 off-road tire is the first designed for soft, mud and intermediate terrains. A winner for adventurous MX enthusiasts looking to push the boundaries and for professionals like Clément Desalle in MXGP.

- More durability with an innovative molecular weight polymer and a block design that offers increased crack-resistance on firmer surfaces
- More stable cornering with enhanced side grip and slide control delivered by Progressive Cornering Block Technology (PCBT)
- More comfort with Multiple Block Distribution (MBD) improving shock absorption and Carcass Tension Control System (CTCS) boosting tension distribution
- More grip on a wider range of surfaces thanks to a highly innovative compound formula that uses ultra-fine carbon particles



GEOMAX MX-53



Dunlop's new Geomax MX-53 returns to the original concept of intermediate tires, but throws in all the learnings from years of competing at the highest level of motocross racing.

The Geomax MX-53 offers a vast improvement in predictability and slide control for fast cornering. Making true on its promise of offering a real intermediate package, a big leap forward was made on softer terrain, while preserving performance on firm and severe underground.

- Intermediate tire with an exceptionally wide scope of application
- Higher blocks with increased biting edge surface provide optimised traction on a wider range of terrains, offering true intermediate performance
- Increased versatility, enhanced handling, better braking performance and feedback
- More progressive cornering for greater control and reduced fall-down at higher lean angles



OFF-ROAD GEOMAX MX-53

New!
MID TO HARD TERRAIN

Front	Size	Code	Euro	Sek/Nok
10"	60/100 - 10 33J TT	544-636580	36,50	399,00
12"	60/100 - 12 36J TT	544-636581	38,50	420,00
14"	60/100 - 14 29M TT	544-636582	40,00	436,00
17"	70/100 - 17 40M TT	544-636584	50,00	546,00
19"	70/100 - 19 42M TT	544-636585	59,00	641,00
21"	80/100 - 21 51M TT	544-636587	72,00	782,00

Rear	Size	Code	Euro	Sek/Nok
10"	70/100 - 10 41J TT	544-636583	35,50	389,00
12"	80/100 - 12 41M TT	544-636586	49,00	536,00
14"	90/100 - 14 49M TT	544-636588	61,00	662,00
16"	90/100 - 16 51M TT	544-636589	68,00	740,00
18"	100/100 - 18 59M TT	544-636576	73,00	793,00
	110/100 - 18 64M TT	544-636578	76,50	835,00
	120/90 - 18 65M TT	544-636575	76,50	835,00
19"	100/90 - 19 57M TT	544-636577	82,00	893,00
	110/90 - 19 62M TT	544-636579	84,50	919,00
	120/80 - 19 63M TT	544-636573	87,00	945,00
	120/90 - 19 66M TT	544-636574	88,50	961,00

GEOMAX MX-71



100% off-road tire optimised for hard terrain.

- Directional tread pattern and block distribution optimises handling and traction on hard surfaces
- Triple-ply construction provides great ride comfort throughout the tire
- Excellent controllability on slide limits
- Tie-bar block design for stronger resistance to chunking

OFF-ROAD GEOMAX MX-71

HARD TERRAIN

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 51M TT	544-627798	68,00	735,00
Rear	Size	Code	Euro	Sek/Nok
19"	110/90 - 19 62M TT	544-633314	80,00	861,00
	120/80 - 19 63M TT	544-633319	80,00	893,00



GEOMAX EN-91



The new Geomax EN-91 is Dunlop's answer to the needs of FIM enduro competition at the very highest level.

- Performance increase in dry, wet and mixed conditions
- Enhanced feedback and compliance boost
- Increased versatility and terrain coverage
- Improved durability and rider comfort

OFF-ROAD GEOMAX EN-91

New!
ENDURO FIM

Front	Size	Code	Euro	Sek/Nok
21"	90/90 - 21 54R TT	544-636707	76,50	887,00
Rear	Size	Code	Euro	Sek/Nok
18"	120/90 - 18 65R TT	544-636705	83,50	966,00
	140/80 - 18 70R TT	544-636706	85,50	987,00



OFF-ROAD

GEOMAX AT81
CROSS COUNTRY

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 51M TT Ultra Soft	544-636633	90,00	1061,00
	90/90 - 21 54M TT	544-634997	72,00	914,00

Rear	Size	Code	Euro	Sek/Nok
18"	110/90 - 18 61M TT	544-634960	84,00	992,00
	110/100 - 18 64M TT	544-634962	98,00	1050,00
	110/100 - 18 64M TT Ultra Soft	544-635923	137,00	1559,00
	120/90 - 18 65M TT	544-634994	102,00	1082,00



Dunlop's vast championship experience and development expertise has been infused into the Geomax® AT81™ cross country tires. These offer all-around performance and have been combined with high levels of ruggedness for off-road racing and riding.



- AT81 rear tread block shape and distribution plus DIRTuitive Grip Design (DGD) tread blocks help the tire penetrate down through the surface dirt
- Formulated high-wear-resistant rear tire compound offers enhanced chipping, tearing and wear appearance
- Geomax AT81 RC (Reinforced Construction) rear tire carcass features four nylon plies

**RALLY RAID
D908RR**

OFF-ROAD

RALLY RAID D908RR
RALLY RAID

Rear	Size	Code	Euro	Sek/Nok
18"	140/80 - 18 70R TT	544-662326	204,00	1985,00
	150/70 B 18 70S TT	544-636973	198,00	2263,00



A road legal dual-sport /desert tire built specifically for rally raid machines.



- Developed specifically for desert racing and cross-country events, but road legal to help you get there
- Unbeatable performance on sand, rocks and hard ground
- Exceptional durability

D952

OFF-ROAD

D952
ALL-ROUND TRAINING

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 51M TT	544-626006	58,00	583,00
Rear	Size	Code	Euro	Sek/Nok
18"	120/90 - 18 65M TT	544-630283	67,00	683,00
19"	100/90 - 19 57M TT	544-626001	68,00	672,00
	110/90 - 19 62M TT	544-626003	69,00	693,00



Off-road leisure tire specifically designed for recreationally-minded off-road enthusiast.



- Versatile grip and durability
- Designed to work across a wide variety of terrain
- High-durability construction for long wear and great traction

D803GP

OFF-ROAD

D803GP
TRIAL

Front	Size	Code	Euro	Sek/Nok
21"	80/100 - 21 51M TT	544-634414	102,00	982,00
Rear	Size	Code	Euro	Sek/Nok
18"	120/100 R 18 68M TL	544-635355	148,00	1418,00



Great tire for both professionals and enthusiasts.



- New silica blended compound
- Revised carcass architecture
- Predictable slide control and improved* shock absorption
- High grip levels in wet or cold conditions
- Faster* turning response



SCOOTSMART



Sports-touring motorcycle performance for today's ever more versatile scooters.

- Features silica for improved mileage and all-conditions performance
- Delivers high levels of grip and neutral handling up to 210 kph



Front	Size	Code	Euro	Sek/Nok
11"	110/70 - 11 45L TL	544-630965	53,00	593,00
12"	110/70 - 12 47L TL	544-636053	73,00	814,00
	110/100 - 12 67J TL	544-636055	74,00	824,00
13"	110/90 - 13 56P TL	544-630040	67,00	751,00
	120/70 - 13 53P TL	544-630041	66,00	735,00
15"	120/70 - 15 56S TL	544-630055	80,00	893,00
	120/70 R 15 56H TL	544-630056	143,00	1596,00
16"	120/70 - 16 57S TL	544-631560	88,00	982,00
	120/70 R 16 57H TL	544-633345	158,00	1759,00

Rear	Size	Code	Euro	Sek/Nok
12"	140/70 - 12 65P TL	544-630971	76,00	851,00
13"	130/70 - 13 63P TL	544-630034	73,00	814,00
	140/60 - 13 57P TL	544-630035	74,00	824,00
	140/60 - 13 63S TL	544-630036	80,00	893,00
	140/70 - 13 61P TL	544-630972	100,00	1113,00
	150/70 - 13 64S TL	544-630037	88,00	982,00
14"	140/60 - 14 64S TL	544-630051	87,00	971,00
	140/70 - 14 68S TL	544-630052	86,00	961,00
	150/70 - 14 66S TL	544-630053	91,00	1013,00
	160/60 R 14 65H TL	544-630054	159,00	1775,00
15"	140/70 - 15 69S TL	544-630977	100,00	1113,00
	160/60 R 15 67H TL	544-630057	163,00	1817,00
16"	130/70 - 16 61S TL	544-630059	95,00	1061,00
	130/70 R 16 61S TL	544-633346	151,00	1685,00
	130/80 - 16 64P TL	544-630983	97,00	1082,00
	140/70 - 16 65S TL	544-630060	103,00	1150,00

SCOOTSMART

Front/Rear	Size	Code	Euro	Sek/Nok
10"	3.00 - 10 42J TL	544-630958	38,00	425,00
	3.00 - 10 50J TL	544-630959	39,00	436,00
	3.50 - 10 51P TL	544-630960	39,00	436,00
	3.50 - 10 59J TL	544-630961	42,00	473,00
	90/90 - 10 50J TL	544-630964	45,00	504,00
	90/100 - 10 53J TL	544-630963	58,00	646,00
	100/80 - 10 53L TL	544-630950	42,00	473,00
	100/90 - 10 56J TL	544-630951	43,00	483,00
	100/90 - 10 61J TL	544-630952	50,00	557,00
	120/70 - 10 54L TL	544-630953	49,00	557,00
	120/90 - 10 57L TL	544-630954	56,00	625,00
	120/90 - 10 66L TL	544-630955	57,00	635,00
	130/70 - 10 62J TL	544-630956	57,00	635,00
	130/90 - 10 61L TL	544-630957	57,00	635,00
12"	110/90 - 12 64P TL	544-630966	67,00	751,00
	120/70 - 12 51S TL	544-630967	64,00	714,00
	120/70 - 12 58P TL	544-630968	52,00	583,00
	130/70 - 12 56P TL	544-630969	53,00	593,00
	130/70 - 12 62S TL	544-630970	68,00	761,00
13"	110/70 - 13 48S TL	544-636846	88,50	1008,00
	130/60 - 13 53P TL	544-630032	70,00	782,00
	130/60 - 13 60P TL	544-630033	67,00	751,00
14"	80/90 - 14 46P TL	544-636848	78,50	893,00
	90/80 - 14 49P TL	544-636850	71,50	81,00
	90/90 - 14 46P TL	544-630973	62,00	693,00
	100/80 - 14 54P TL	544-636845	69,50	793,00
	100/90 - 14 57P TL	544-630974	65,00	725,00
	110/80 - 14 59S TL	544-636847	90,50	1040,00
	120/70 - 14 55S TL	544-630050	72,00	803,00
	120/80 - 14 58S TL	544-630039	78,00	872,00
15"	130/80 - 15 63S TL	544-630976	106,00	1181,00
16"	80/80 - 16 45P TL	544-630979	59,00	662,00
	80/90 - 16 48P TL	544-636849	65,50	740,00
	90/80 - 16 51P TL	544-630980	65,00	725,00
	90/90 - 16 48P TL	544-636851	67,50	788,00
	100/80 - 16 50P TL	544-630981	73,00	814,00
	110/70 - 16 52S TL	544-630058	86,00	961,00
	120/80 - 16 60P TL	544-630982	84,00	940,00

SCOOTER

ROADSMART III

SORT-TOURING

Front	Size	Code	Euro	Sek/Nok
14"	120/70 R 14 55H TL	544-635589	153,00	1696,00
Rear	Size	Code	Euro	Sek/Nok
14"	160/60 R 14 65H TL	544-635587	168,00	1848,00
15"	160/60 R 15 67H TL	544-635586	159,00	1759,00

Dunlop's latest GT tire, now also available for your maxi-scooter.

- Innovative tread design enables the tire to maintain performance for longer
- Outstanding wet and dry grip
- Wear resistant high-performance compound
- Balanced handling and easy direction changes



COOL

GT

TT93 GP

SCOOTER

TT93 GP Racing

Front	Size	Code	Euro	Sek/Nok
12"	100/90 - 12 49J TL	544-630748	110,00	1229,00
Front/Rear	Size	Code	Euro	Sek/Nok
10"	3.50 - 10 51J TL	544-633325	83,00	924,00
	90/90 - 10 50J TL	544-633326	89,00	992,00
Rear	Size	Code	Euro	Sek/Nok
12"	120/80 - 12 55J Soft TL	544-630749	120,00	1339,00
	120/80 - 12 55J Medium TL	544-632408	119,00	1328,00

Street legal scooter racing tires designed to give maximum grip on dry road surfaces.

- Street legal track tire for scooter racers
- Semi-slick tread pattern and specially stiffened tread for instant handling response
- Has even more grip than the popular TT92 GP it replaces
- Tread pattern stiffness is optimised for instant handling response



KR106 / KR108



The ultra-successful, multi-championship winning race tires as used by world class riders, the KR106 and KR108 are premium winning race tires for professionals.

- Innovative NTEC system allows riders to lower tire pressures for ultimate grip on the track
- Multi-Tread (MT) Technology ensures stability, traction and braking performance
- Sidewalls are stabilised with belt-to-carcass angles, creating responsive transitions between maximum lean angles
- Cooler running and predictable performance enabled through nylon breaker belts and continuously-wound aramid-fibre tread belt


COMPETITION KR106 / KR108

Front	Size	CPD	Code	Euro	Sek/Nok
16,5"	125/80 R 420 TL	MS2 SM	544R-635276	204,00	2220,00
17"	120/70 R 17 TL	MS1	544R-633782	244,00	2495,00
	120/70 R 17 TL	MS2	544R-633803	244,00	2495,00
	120/70 R 17 TL	MS3	544R-633804	244,00	2495,00
	120/70 R 17 TL	MS4	544R-633805	244,00	2495,00

Rear	Size	CPD	Code	Euro	Sek/Nok
17"	165/55 R 17 TL	MS1 SM	544R-635279	252,00	2872,00
	165/55 R 17 TL	MS2 SM	544R-635280	252,00	2872,00
	195/65 R 17 TL	MS0	544R-634989	333,00	3339,00
	195/65 R 17 TL	MS2	544R-634501	333,00	3339,00
	195/65 R 17 TL	MS3	544R-634500	333,00	3339,00
	195/65 R 17 TL	MS4	544R-634499	333,00	3339,00
	200/70 R 17 TL	MS0	544R-637070	368,00	4211,00
	200/70 R 17 TL	MS1	544R-636659	368,00	4211,00
	200/70 R 17 TL	MS2	544R-636660	368,00	4211,00
	200/70 R 17 TL	MS3	544R-636883	368,00	4211,00



COMPOUND RANGE



D213 GPRO

COMPETITION D213 GP PRO

Front	Size	CPD	Code	Euro	Sek/Nok
17"	110/70 R 17 54H TL	MS1	544R-636723	186,00	2121,00
	110/70 R 17 54H TL	MS3	544R-636613	186,00	2121,00
120/70 ZR 17 (58W) TL	MS1	544R-636656	235,00	2688,00	
	MS2	544R-636657	235,00	2688,00	
120/70 ZR 17 (58W) TL	MS3	544R-636658	235,00	2688,00	

Rear	Size	CPD	Code	Euro	Sek/Nok
17"	140/70 R 17 66H TL	MS1	544R-636665	232,00	2646,00
	140/70 R 17 66H TL	MS2	544R-636614	232,00	2646,00
180/60 ZR 17 (75W) TL	MS0	544R-634978	282,00	3276,00	
	MS1	544R-637057	291,00	3371,00	
180/60 ZR 17 (75W) TL	MS2	544R-634979	282,00	3276,00	
	MS4	544R-634981	282,00	3276,00	
200/60 ZR 17 (80W) TL	MS0	544R-637068	328,00	3759,00	
	MS2	544R-637069	328,00	3759,00	
200/60 ZR 17 (80W) TL	MS4	544R-635105	328,00	3759,00	

The tire of choice for racing champions.

Dunlop's D213 GP Pro is the benchmark for road legal racing tires, offering professional riders the chance to experience the tire chosen by today's racing icons.



- Front & rear profiles provide greater contact patches at all lean angles, improving grip, handling and reducing steering effort

- Front & rear JLB construction delivers greater predictability, feedback and increases braking efficiency


- Dunlop's Heat Control Technology controls tire temperature to provide a consistent performance over a wider operating window

- NTEC system allows pressure adjustment for track conditions

- Also available for the Supersport 300 class!



COMPOUND RANGE



Tyres

GP RACER SLICK D212



Derived from the D212 GP Pro - Dunlop's Isle of Man TT race specification bloodline, the GP Racer SLICK D212 delivers the ultimate race level grip for demanding track day riders.

- Race derived mould profile for faster turn-in and reduced steering effort
- NTEC system allows running extremely low pressures on track
- Construction combined with compound development provide improved endurance for sustained performance
- E-Specs have revised tread construction for extended mileage

TRACK DAY GP RACER SLICK D212

Front	Size	CPD	Code	Euro	Sek/Nok
17"	120/70 R 17 TL	M	544R-634642	189,00	2153,00
Rear	Size	CPD	Code	Euro	Sek/Nok
17"	190/55 R 17 TL	M	544R-634643	270,00	2993,00
	190/55 R 17 TL	E	544R-634644	270,00	2993,00
	200/55 R 17 TL	M	544R-634645	292,00	3203,00
	200/55 R 17 TL	E	544R-634647	292,00	3203,00



GP RACER D212



Derived from the D212 GP Pro - Dunlop's Isle of Man TT race specification bloodline, the road legal GP Racer D212 delivers the kind of performance that until just a few years ago was only available to factory-backed teams. Race-proven in the 2016 12H of Portimao and 2016 24H of Barcelona, the GP Racer D212 pays homage to Dunlop's extensive motorsport heritage and racing DNA.

- Race derived mould profile for faster turn-in and reduced steering effort
- NTEC system allows running extremely low pressures on track
- Construction combined with compound development provide improved endurance for sustained performance
- E-Specs have revised tread construction for extended mileage

ROAD LEGAL GP RACER D212

Front	Size	CPD	Code	Euro	Sek/Nok
17"	120/70 ZR 17 (58W) TL	S	544-634634	197,00	2142,00
	120/70 ZR 17 (58W) TL	M	544-634635	197,00	2142,00
Rear	Size	CPD	Code	Euro	Sek/Nok
17"	180/55 ZR 17 (73W) TL	M	544-634637	262,00	2840,00
	180/55 ZR 17 (73W) TL	E	544-634638	262,00	2840,00
	190/55 ZR 17 (75W) TL	M	544-634590	277,00	2998,00
	190/55 ZR 17 (75W) TL	E	544-634591	277,00	2998,00
	200/55 ZR 17 (78W) TL	M	544-634592	298,00	3239,00
	200/55 ZR 17 (78W) TL	E	544-634633	298,00	3239,00

S=Soft / M=Medium / E=Endurance



How to read your tyre's sidewall markings

Your tyre's sidewall contains all the information about your tyre that you'll need. Here's a little guide to what all those numbers and letters mean:



A. Tyre width

The width of your tyre, in millimetres, measured from sidewall to sidewall.

B. Aspect ratio

This is the ratio of the tyre's cross-section to its width, expressed as a percentage. An aspect ratio of 65, for example, indicates that the tyre's height is 65% of its width.

C. Wheel diameter

The diameter (height) of the wheel in inches.

D. Load index

Your tyre's load index relates to its maximum carrying capacity (in kg). You'll find the load rating of your tyre on the sidewall, just to the right of the diameter.

For example, a tyre with a load index of 91 can carry 615kg of weight.

Load ratings and speed ratings should be looked at together when you buy a new tyre. Also remember to check your manufacturer's recommendations.

LOAD INDEX	Kg
21	82.5
22	85
23	87.5
24	90
25	92.5
26	95
27	97.5
28	100
29	103
30	106
31	109
32	112
33	115
34	118
35	121
36	125
37	128
38	132
39	136
40	140
41	145

LOAD INDEX	Kg
42	150
43	155
44	160
45	165
46	170
47	175
48	180
49	185
50	190
51	195
52	200
53	206
54	212
55	218
56	224
57	230
58	236
59	243
60	250
61	257
62	265

LOAD INDEX	Kg
63	272
64	280
65	290
66	300
67	307
68	315
69	325
70	335
71	345
72	355
73	365
74	375
75	387
76	400
77	412
78	425
79	437
80	450
81	462
82	475
83	487

E. Speed rating

The speed rating is the maximum speed for a tyre when it is correctly inflated and being used under load. The speed rating is the letter at the end of the sidewall, after the load index number. A tyre with a speed rating of V, for example, has a maximum speed of 240 km/h.

When buying new tyres, make sure you match their speed rating with the speed capabilities of your vehicle.

SPEED INDEX	Km/H
F	80
G	90
J	100
K	110
L	120
M	130
N	140
P	150
Q	160
R	170
S	180
T	190
U	200
H	210
V	240
W	270
ZR	+ 240



7★STARS

7★STARS



F-807



F-808

MX Tires

	Size	Mod.	Code	Euro	Sek/Nok
10"	2,50-10	(T/T)	F-807	353-80701	19,00 226,00
	2,75-10	(T/T)	F-807	353-80702	22,75 268,00
12"	2,50-12	(T/T)	F-807	353-80703	19,25 231,00
	80/100-12	(T/T)	F-808	353-80801	29,00 347,00
14"	60/100-14	(T/T)	F-807	353-80704	21,25 252,00
	90/100-14	(T/T)	F-808	353-80802	35,75 425,00
16"	90/100-16	(T/T)	F-808	353-80803	39,75 473,00
17"	70/100-17	(T/T)	F-807	353-80705	31,75 378,00
18"	120/100-18	(T/T)	F-897	353-89701	65,00 777,00
19"	70/100-19	(T/T)	F-807	353-80706	33,75 399,00
	110/90-19	(T/T)	F-897	353-89702	63,00 751,00
21"	80/100-21	(T/T)	F-895	353-89501	41,00 488,00



F-895



F-897

Tires



Tubes

METZELER Tubes

Rim	Size	Code	Euro	Sek / Nok
15"	140-160/80-15 130-150/90-15 TR4 Offcenter	34-259731	24,00	268,00
	180/70-15, 170/80-15 TR4	34-259771	36,00	394,00
	200/70-15, 170/80-15 TR4 Offcenter	34-259761	37,00	404,00
	180-200/70-15 V06-02 70°	34-259751	36,00	394,00
16"	3,25/3.50-16, 110/80-16, 90-100/90-16 TR4	34-259821	24,00	268,00
	110-130/90-16 TR4	34-259811	24,00	268,00
	130/90-16, MU90-16, 140-160/80-16 TR4 Offcenter	34-259731	24,00	268,00
17"	120/60/65-17, 110-130/70-17, 110-120/80-17, 110-120/90-17 TR4	34-255201	24,00	268,00
	4.50/5.10-17, 130/70-17, 120-130/80-17, 110-120/90-17 TR4	34-255211	24,00	268,00
	150-160/60-17, 140-150/70-17, 140-150/80-17, 130/90-17 TR4	34-259801	25,00	278,00
	190-210/50-17, 170-180/55-17, 170/60-17, 160/70-17 TR4	34-255241	36,00	394,00
18"	2.25-2.75-18 TR4	34-259711	24,00	268,00
	3.00/3.60-18, 100/80-18, 90/90-18 TR4	34-210941	24,00	268,00
	3.25-4.60-18, 110-130/70-18, 110/80-18, 100-110/90-18 TR4	34-210951	24,00	268,00
	100/100, 110/100, 120/100 130/80 - 18 TR4 (MX 3,00mm)	34-259781	24,90	273,00
	4.00-4.50-18, 140-150/70-18, 120-140/80-18, 120-130/90-18 TR4	34-210961	24,00	268,00
	180/55-18, 160-170/60-18, 150/80-18 TR4	34-259741	37,00	404,00
	280/35-18, 240/40-18, 300/35-18 TR4 Offcenter	34-259791	36,00	394,00
19"	3.00/3.25/3.50/3.60-19, 90-100/90-19 TR4	34-259681	24,00	268,00
	3.25-4.10-19, 110-130/80-19, 100-110/90 - 19 TR4	34-259661	24,00	268,00
	110/80, 120/80, 130/80, 100/90, 110/90 - 19 TR4 (MX 3,00mm)	34-259691	24,90	273,00
21"	2.50/2.75/3.00/3.25-21, 80/100-21, 80/90-21, 90/90-21 TR4	34-210971	24,00	268,00
	3.00/3.25 - 21, 80/100, 90/90, 90/100 - 21 TR4 (MX 2,50mm)	34-259701	24,90	273,00

TR4 = Straight / V06-02 = 70°

PIRELLI Tubes

Rim	Size	Code	Euro	Sek / Nok
10"	2.50-10, 2.75-10 TR4	53-255271	23,00	278,00
12"	60/100-12 TR4	53-2598910	23,50	289,00
	80/100-12 TR4	53-255281	23,00	278,00
14"	60/100-14 TR4	53-259861	23,00	278,00
15"	90/100-14, 110/80-14 TR4	53-259851	23,00	278,00
16"	130-150/90-15 TR4	53-255231	23,00	278,00
17"	3.00-3.50-16, 90-100/90-16, 110/80-16, 80-90/100-16 TR4	53-210891	23,00	278,00
	110/90-16, 120/80-16, 120/90-16 TR4	53-259871	23,00	278,00
	130-140/90-16, 140-150/80-16 TR4	53-255231	23,00	278,00
	2.75-3.75-17, 70-80/100-17, 90/90-17, 90-100/80-17 TR4	53-210821	23,00	278,00
18"	4.00-4.60-17, 110-120/80-17, 110-120/90-17, 110-130/70-17 TR4	53-210851	23,00	278,00
	130/80-17, 130/90-17, 140-160/70-17, 140/80-17, 160/60-17 TR4	53-210861	23,00	278,00
	2.50-3.25-18, 90/90-18, 100/80-18, 80/100-18 TR4	53-210761	23,00	278,00
19"	3.50-4.10-18, 120/70-18, 100/90-18, 110/80-18, 90-110/100-18 TR4	53-210771	23,00	278,00
	4.00-5.10-18, 120-140/80-18, 110-130/90-18, 140-150/70-18 TR4	53-210781	23,00	278,00
	100-110/90-18, 110-140/80-18 TR4 (MX 3,00mm)	53-255251	32,00	394,00
	2.75-3.60-19, 90/90-19 TR4	53-210791	23,00	278,00
20"	100-120/80-19, 100-110/90-19 TR4	53-255221	23,00	278,00
	100-110/90-19, 110-140/80-19 TR4 (MX 3,00mm)	53-255261	32,00	394,00
21"	2.50-3.00-21, 70-90/90-21, 80/100-21 TR4	53-210811	23,00	278,00
	3.00-21, 80/100-21, 90/90-21 TR4 (MX 2,50mm)	53-259671	32,00	394,00

TR4 = Straight

METZELER
MOTORCYCLE TYRES

PIRELLI

POWER IS NOTHING WITHOUT
CONTROL

Tube Mousse Rimtape



DUNLOP Tubes

Rim	Size	Code	Euro	Sek / Nok
10"	2.50-10 ; 2.75-10 ; 80/90-10 TR4	544-710074	21,00	221,00
	2.50-10 ; 2.75-10 TR4 (MX 2,5mm)	544-710075	25,50	268,00
12"	60/100-12 TR4 (MX 2,5mm)	544-710117	25,50	268,00
	3.00-12 ; 80/100-12 ; 100/80-12 TR4	544-710076	21,00	221,00
14"	2.50-14 ; 60/100-14 ; 80/80-14 TR4	544-710077	21,00	221,00
	90/100-14 TR4 (MX 2,5mm)	544-710079	26,50	278,00
15"	130/90-15 ; 140/90-15 ; 140/80-15 ; 150/80-15 TR4	544-710108	31,50	331,00
	130/90-15 ; 140/90-15 ; 180/70-15 PV78N	544-710109	34,00	357,00
	150/90-15 ; 170/80-15 PV78N	544-710091	34,50	362,00
16"	90/100-16 TR4 (MX 2,5mm)	544-710080	31,00	326,00
	3.00-16 ; 80/100-16 ; 90/90-16 TR4	544-710092	23,50	247,00
	4.60-16 ; 110/90-16 ; 120/90-16 TR4	544-710093	23,50	247,00
	MT90B16 ; MU85B16 ; 130/90-16 TR4	544-710128	36,50	383,00
	MT90B16 ; MU90B16 TR4 Offcenter	544-710094	25,50	268,00
17"	130/90-16 ; 140/90-16 ; 150/80-16 PV78N	544-710110	34,00	357,00
	70/100-17 TR4 (MX 2,5MM)	544-710082	25,50	268,00
	2.75-17 ; 3.00-17 ; 90/90-17 ; 100/80-17 TR4	544-710111	21,00	221,00
	4.60-17 ; 120/90-17 ; 120/80-17 ; 130/80-17 TR4	544-710112	26,50	278,00
	4.50-17 ; 130/90-17 ; 140/80-17 ; 150/80-17 TR4	544-710113	31,50	331,00
18"	150-70-17 ; 160/70-17 ; 180/60-17 TR4	544-710099	26,50	278,00
	2.75-18 ; 3.00-18 ; 3.60-18 ; 80/90-18 ; 90/90-18 TR4	544-710114	21,00	221,00
	4.60-18 ; 110/90-18 ; 120/80-18 TR4	544-710123	25,50	268,00
	4.00-18 ; 110/100-18 ; 120/100-18 ; 120/90-18 TR4	544-710126	26,00	273,00
	110/100-18 ; 120/100-18 TR4 (MX 2,5mm)	544-710084	33,50	352,00
19"	110/100-18 ; 120/100-18 ; 120/90-18 TR4 (MX HD 3,5mm)	544-710103	36,00	378,00
	2.50-19 ; 70/90-19 ; 70/100-19 TR4	544-710085	22,00	231,00
	3.00-19 ; 90/100-19 ; 90/90-19 TR4	544-710101	19,50	205,00
	3.25-19 ; 4.10-19 ; 110/80-19 ; 100/90-19 TR4	544-710127	25,00	263,00
	100/90-19 ; 110/80-19 TR4 (MX 2,5mm)	544-710086	28,50	299,00
21"	100/90-19 ; 110/80-19 TR4 (MX HD 3,5mm)	544-710088	36,50	383,00
	110/90-19 ; 120/90-19 ; 120/80-19 TR4 (MX 2,5mm)	544-710104	33,50	352,00
	110/90-19 ; 120/90-19 ; 120/80-19 TR4 (MX HD 3,5mm)	544-710105	38,00	399,00
	2.50-21 ; 70/100-21 TR4	544-710089	20,00	210,00
	2.75-3.00-21 ; 80/90-21 ; 80-90/100-21 TR4	544-710106	21,00	221,00
22"	2.75-3.00-21 ; 80/90-21 ; 80-90/100-21 TR4 (MX 2,5mm)	544-710107	31,00	326,00
	80/100-21 ; 90/100-21 TR4 (MX HD 3,5mm)	544-710090	37,00	389,00

TR4 = Straight / PV78N = 90°

MOPED & SCOOTER Tubes

Rim	Size	Code	Euro	Sek / Nok	Rim	Size	Code	Euro	Sek / Nok	Rim	Size	Code	Euro	Sek / Nok
8"	3,50/4,00-8 TR87	35-9085	7,00	74,00	14"	3,25/3,50-14 TR4	35-9144	9,75	105,00	18"	2,50/2,75-18 TR4	35-9182	9,75	105,00
	2,50/2,75-10 TR87	35-9103	7,25	79,00		2,50/2,75-15 TR4	35-9150	13,25	142,00		3,00/3,50-18 TR4	35-9184	11,75	126,00
10"	3,00/3,50-10 TR87	35-9105	8,50	89,00	16"	2,00-16 TR4	35-9160	8,50	89,00		3,50/4,00-18 TR4	35-9186	14,75	158,00
	3,50/4,00-10 TR87	35-9107	9,00	95,00		2,25/2,50-16 TR4	35-9161	9,50	100,00		4,00/4,50-18 TR4	35-9188	16,50	173,00
12"	4,00/4,50-10 TR87	35-9108	10,75	116,00	20"	2,75/3,00-16 TR4	35-9162	9,50	100,00		4,50/5,20-18 TR4	35-9189	19,50	205,00
	4,00/4,50-10 TR87	35-9125	9,50	100,00		3,25/3,50-16 TR4	35-9166	10,75	116,00		2,25/2,50-19 TR4	35-9190	10,00	105,00
13"	3,00/3,50-12 TR87	35-9126	9,50	100,00	24"	5,00/5,10-16 TR4	35-9168	18,50	194,00		2,75/3,00-19 TR4	35-9192	10,50	110,00
	4,00/4,50-12 TR87	35-9128	10,50	110,00		17"	2,72/3,00-17 TR4	35-9172	10,25	110,00	3,25/3,50-19 TR4	35-9194	12,50	131,00
14"	130-140/60-13 TR87	35-9136	11,50	121,00	25"	3,25/3,50-17 TR4	35-9174	11,00	116,00	2,75/3,00-21 TR4	35-9212	10,75	116,00	
	2,25/2,50-14 TR4	35-9140	9,00	95,00		4,00/4,50-17 TR4	35-9178	15,25	163,00	4,50/5,20-17 TR4	35-9179	18,00	189,00	
15"	2,75/3,00-14 TR4	35-9142	9,50	100,00		4,50/5,20-17 TR4	35-9179	18,00	189,00	TR4 = Straight / TR87 = 90°				



AIRMOUSSE MX

Code	
348-101921	AirMousse Mini MX 0,8 bar 90/100-16
348-101922	AirMousse Mini MX BIG SIZE 0,8 bar 90/100-16
348-101920	AirMousse Mini MX 0,8 bar 70/100-19
348-101923	AirMousse Mini MX BIG SIZE 0,8 bar 70/100-19
348-101911	AirMousse MX 0,8 bar 110/90-19
348-101811	AirMousse MX 1,1 bar 90/100-16
348-101812	AirMousse MX 1,1 bar 70/100-19
348-101809	AirMousse MX 1,1 bar 100/90-19
348-101808	AirMousse MX 1,1 bar 110/90-19-120/80-19
348-101918	AirMousse MX 1,1 bar 120/90-19
348-101810	AirMousse MX 1,1 bar 80/100-21

AIRMOUSSE

Experience the AirMousse "High performance" difference!

In general mousses are known to be a compromise in performance on some level, but AirMousse dramatically enhances the positives while greatly reducing the negatives.

Airmousse combines a high concentration of Nitrogenium into an incredibly tough micro-matrix of proprietary elastomers. This eliminates the dead feel and provides a much more lively, lighter and traction enhanced feel from the very first ride, as they do not need a break in period. Additionally, our proprietary formula and manufacturing process provides a mousse that will last up to twice as long at a much lower cost.

AIRMOUSSE Enduro

Code	
348-101817	AirMousse Enduro 0,5 bar 110/100-18-120/90-18
348-101814	AirMousse Enduro 0,5 bar 140/80-18
348-101919	AirMousse Enduro 0,5 bar 140/100-18 Soft
348-101815	AirMousse Enduro 0,5 bar 90/90-21-80/100-21
348-101816	AirMousse Enduro 0,5 bar 90/100-21
348-101806	AirMousse Enduro 0,8 bar 100/100-18
348-101807	AirMousse Enduro 0,8 bar 110/100-18
348-101801	AirMousse Enduro 0,8 bar 140/80-18
348-101805	AirMousse Enduro 0,8 bar 140/100-18
348-101802	AirMousse Enduro 0,8 bar 90/90-21-80/100-21
348-101803	AirMousse Enduro 0,8 bar 90/100-21

AIRMOUSSE Gel

Code	
348-100085	AirMousse Silicongel 85gr/tube
348-100500	AirMousse Silicongel 0,5kg

TO FIND THE RIGHT MOUSSE FOR YOUR TYRE PLEASE
CHECK THE TIRE-FITMENT GUIDE.

WWW.AIRMOUSSE.COM/TYRE-FITMENT-GUIDE



o Tubes Mousse Rimtape



POWER IS NOTHING WITHOUT CONTROL



PIRELLI MOUSSE

Front	Size	Code	Euro	Sek / Nok
14"	X-14A1-Medium Cross : 60/100-14	53-9319900	169,00	1979,00
19"	X-19A1-Medium Cross : 70/100-19	53-9320000	169,00	1979,00
21"	X-21B1-Medium Cross : 80/100-21, 90/100-21 X-21B1-Hard Cross : 80/100-21, 90/100-21	53-9253800 53-9260100	169,00	1979,00
	E-21C1-Medium Enduro : 90/90-21	53-9254000	169,00	1979,00
	E-21C2-Medium Enduro : 90/100-21	53-9254100	169,00	1979,00

Rear	Size	Code	Euro	Sek / Nok
12"	X-12B1-Medium Cross : 80/100-12	53-9320200	169,00	1979,00
16"	X-16C1-Medium Cross : 90/100-16	53-9320100	169,00	1979,00
18"	E-18F1-Medium Enduro : 120/90-18 E-18H1-Soft Enduro Extreme : 140/80-18	53-9254200 53-9254300	169,00	1979,00
	E-18H1-Medium Enduro : 140/80-18	53-9254400	169,00	1979,00
19"	E-18H1-Hard Enduro : 140/80-18 X-19D1-Medium Cross : 100/90-19; 110/85-19	53-9254500 53-9254600	169,00	1979,00
	X-19E1-Medium Cross : 110/90-19	53-9254700	169,00	1979,00
	X-19F1-Medium Cross : 120/80-19; 120/90-19	53-9254900	169,00	1979,00

DUNLOP MOUSSE



Front	Size	Code	Euro	Sek / Nok
21"	FM21: 80/100-21, 90/100-21, 90/90-21	544-709973	159,00	1801,00

Rear	Size	Code	Euro	Sek / Nok
18"	FM18 C : 120/90-18, 140/80-18	544-709977	191,00	2168,00
	FM18 D : 140/80-18 (EN91)	544-711453	191,00	2168,00
	FM18 : 140/80-18 (Enduro Hard Pack)	544-709976	205,00	2326,00
19"	FM19 S : 100/90-19, 110/80-19	544-709974	168,00	1901,00
	FM19 L : 110/90-19, 120/80-19	544-709975	173,00	1958,00
	FM19 C : 120/90-19 (MX)	544-711454	173,00	1964,00



Rim Tape



Size	Code	Euro	Sek / Nok	Size	Code	Euro	Sek / Nok
15" 30 mm	35-9500	3,00	33,00	18" 30 mm	35-9505	3,00	33,00
16" 22 mm	35-9502	3,00	33,00	19" 22 mm	35-9507	3,00	33,00
17" 22 mm	35-9506	3,00	33,00	21" 22 mm	35-9508	3,00	33,00
18" 22 mm	35-9504	3,00	33,00	21" 30 mm	35-9509	3,00	33,00

Size	Code	Euro	Sek / Nok
17" 42 mm	34-2711	8,50	95,00

ABOUT US

CHI SIAMO

Since 1996 Capit has been a leader in the production of professional tyrewarmers, a sector in which the Italian company has assumed over the years a leading role in the national and international market, thanks to the experience, research and collaborations with the best teams of the car and motorcycle world championships. A success that comes from the continuous evolution of products, which Capit guarantees through the constant experimentation and introduction of new materials and new technologies. Capit produces in its own Italian headquarter and manages directly the study, development and realization of every single component of its products: textile, electrical and electronic. The materials chosen, the technologies and the manufacturing methods used are of high quality in order to ensure a higher reliability and superior warranty.



Suprema Vision
20–120°C

Description	Part no.
Suprema Vision Moto3 90+120/17 Tyre warmers Blue	349-5023
Suprema Vision SBK/SS 120+180- 205/17 Tyre warmers Blue	349-5025


Capit's Suprema Vision tyrewarmers are the excellence of the tyrewarmers product.

Suprema Vision is equipped with a **controlbox integrated** in the tyrewarmer, it is ultra-compact (only 8mm thick) and made of impact-resistant material.


With only 2 keys it is possible to **view the initial set-up temperature** (T set) and the actual set-point temperature on the tyres (T run), in addition to being able to choose the displayed temperature in °C or °F.

With the **new integrated Timer** you will also know at a glance if the tyre is ready to be used on track thanks to the display that will blink after 10 minutes that tyrewarmers has reached the set temperature.

Available in various sizes and colors can be ordered with European type plug (EU – 220/230 Volt) – English (UK – 230 Volt) – American / Japanese (USA / JPN – 100/110 Volt) – Australian (AUS – 240 Volt).



THERMOGRAPHY




Suprema Spina
85°C

Description	Part no.
Suprema Spina Moto3 90+120/17 Tyre warmers Red	349-5020
Suprema Spina SBK/SS 120+180- 205/17 Tyre warmers Red	349-5022
Suprema Spina SM/SS 120+160- 175/17 Tyre warmers Red	349-5021

Capit's Moto Tyrewarmers Suprema Spina are simple in shape, but big in the task: versatile, very practical and efficient, they are the best-selling in the world thanks to the patented Capit technology without thermostat.

Available in various sizes and colors, can be ordered with European type plug (EU – 220/230 Volt) – English (UK – 230 Volt) – American (USA – 110 Volt) – Australian (AUS – 240 Volt) – Japanese (JPN – 100 Volt).



THERMOGRAPHY

